

STÖCKL
PARKETT

FIRST STEP FOR LIVING

copyright by nature



PRICELIST
July 2023

TABLE OF CONTENTS

03	Product family
04	Surfaces
05-06	Gradings
07	EPICO TREND 240 2-layer engineered plank
08	EPICO TREND 190 2-layer engineered plank
09	EPICO TREND 140 2-layer engineered plank
10	EPICO MODERN 140 2-layer engineered parquet
11	KREATIV 2-layer engineered parquet
12	B:HARD 223 WoodTec plank
13	B:HARD 283 WoodTec plank
14	B:HARD MODERN WoodTec herringbone
15	ACTUS XL 4.0 HDF 2-layer engineered parquet
16	ACTUS XL 3.0 HDF 2-layer engineered parquet
17	ACTUS EMOCION 4.0 2-layer engineered parquet
18	ACTUS EMOCION 4.0 HDF 2-layer engineered parquet
19	ACTUS 6.0 HDF 2-layer engineered parquet
20	ACTUS 4.0 2-layer engineered parquet
21	ACTUS 4.0 HDF 2-layer engineered parquet
22	ACTUS 3.0 HDF 2-layer engineered parquet
23	ELEMENTS PARALLEL
24	ELEMENTS 2-layer engineered parquet
25	Skirting boards
26	Stair edges
27	Adhesive, care & underlay mats
28	Colourline & special surfaces
29	Excerpt Eco-certificate

These product symbols accompany you through the price list:



PRODUCT FAMILY

Our product family consists of three members. EPICO, B:HARD and ACTUS. Each product line is characterized by different properties. Find out more about which family member is best for you.

EPICO

EPICO is our large dimension variant in a country house style. This member of our product family is particularly varied in all colors and variations. A versatile natural talent.

Largest dimension:

2.400 x 240 mm

Smallest dimension:

1400 x 140 mm

EPICO modern is a variant of our classic EPICO parquet that can be laid as herringbone.

Dimension: 690 x 140 mm

B:HARD

B:hard is a Powderwood, which (as the name suggests) is characterized by a reinforced wooden surface. A unique technology additionally strengthens and hardens the surface of the wood. The ideal companion for anyone who needs a particularly resistant and durable wooden floor.

Dimensions:

2.200 x 223 mm

2.200 x 283 mm

B:hard modern is a herringbone variant with a dimension of 774 x 129 mm.

ACTUS

ACTUS is the traditional parquet slat.

It is characterized by small and fine sticks. Ideal for a wide variety of laying patterns such as herringbone and co.

Largest dimension:

1.000 x 90 mm

Smallest dimension:

500 x 70 mm



SURFACES

We offer the right refinement for every requirement. In order to meet your needs and demands in the best possible way and to give you pleasure with your parquet for a long time, we offer our parquet floors with different surface treatments.

Oil: (oxy oil)

High quality, durable,
air dried oil

Matt lacquer:

Strong, 7-fold matt lacquering,
with highest abrasion class C according to ÖNORM

Pure:

Super matt look, see page 11

Matt lacquer forte:

A particularly scratch-resistant and hard lacquer for our B:hard surfaces.

Brushed:

Soft wood parts are removed by machine brushing. This results in a discreetly reinforced wood structure.

Rough sawn:

Striking structure with saw marks

Planed:


Irregular clearly noticeable and visibly wavy appearance

Chopped:

Visually and haptically very strong elaborated wood structure

GRADINGS

Each floor is characterized by its uniqueness. Through every shade of color, every knot and every structure. We sort our sticks and put together what belongs together. This creates a wide variety of gradings, for every taste, from tranquil to vivid.



Exquisit:

Minor natural color differences, very simple appearance, occasional small dot knots, oak-typical pith rays



Select:

Natural minor color differences, very plain appearance, slight vein, small dot knots, oak-typical pith rays



Natur:

Natural minor color differences, plain appearance, minor vein, smaller tightly intergrown healthy knots, oak-typical pith rays



Style:

Natural color differences, plain appearance, slight vein, small dot knots, oak-typical pith rays




Design:

Natural color differences, vivid appearance, small knots, stronger vein, low percentage of sapwood content



Struktur:

Vivid appearance, distinct color- & structure differences, strong vein, small & medium cemented knots, sapwood content



Lebhaft:

Distinct color- & structure differences, strong sapwood content, small knots



Charakter:

Vivid structure, distinct differences in color and texture, strong vein, cemented knots, sapwood content



Crack:

Vivid structure, distinct color- & structure differences, larger knots and core cracks, strong vein, sapwood content



Ambiente:

Very vivid appearance, distinct color- & texture differences, medium and large cemented knots, sapwood content

EPICO TREND 240

2-layer engineered plank

DIMENSION	2400*240*9,5 mm
TOP LAYER	approx. 3 mm
COMPOSITION	HDF
LAYING PATTERN	plank
PACKAGE SIZE	2,88 m ²
PALLET SIZE	129,6 m ² / 45 packages
WEIGHT	approx. 7,6 kg / m ²



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

EPICO TREND 240.		MATT LACQUER (bevelled)		OIL (brushed, bevelled)	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	style	109,00	16437	109,00	16433
	charakter	87,50	16689	87,50	16434
Smoked oak	charakter	106,90	16713	106,90	16712

EPICO TREND 240 COLOURLINE*		MATT LACQUER (bevelled)		OIL (brushed, bevelled)	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	diamant	93,50	16708	93,50	16704
	saphir	93,50	16709	93,50	16438

*Colourline illustration page 28

EPICO TREND 190

2-layer engineered plank

DIMENSION	2100*190*9,5 mm
TOP LAYER	approx. 3 mm
COMPOSITION	HDF
LAYING PATTERN	plank
PACKAGE SIZE	2,8 m ²
PALLET SIZE	123,2 m ² / 44 packages
WEIGHT	approx. 7,6 kg / m ²



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

EPICO TREND 190		MATT LACQUER (bevelled)		OIL (brushed, bevelled)	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	style	96,50	16033	96,50	15018
	charakter	64,00	16034	64,00	14622
	ambiente NEW			54,50	19647
Oak broncé	charakter NEW			92,00	19382
Smoked oak		88,20	16400	88,20	15415
American walnut	style	170,00	16398	170,00	15864
	charakter	108,00	16399	108,00	15865

EPICO TREND 190 COLOURLINE*		MATT LACQUER (bevelled)		OIL (brushed, bevelled)		PURE (brushed, bevelled)	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	calcit					73,00	17432
	style diamant	102,50	16781	102,50	16611		
	diamant	70,00	16404	70,00	15539	73,00	18991
	style saphir	102,50	16783	102,50	16782		
	saphir	70,00	15926	70,00	15229	73,00	17885
	bernstein			70,00	18285		
	albit			70,00	18286		

*Colourline illustration page 28

EPICO TREND 190		OIL (brushed, bevelled)	
SPECIAL SURFACES		EUR / m ²	Prod.nr.
Oak	sägerau	84,00	18432
	gehobelt	84,00	18382
	gehackt	84,00	18433
Oak Colourline	gealtert achat	84,00	18169
	sägerau saphir	84,00	18381

EPICO TREND 140

2-layer engineered plank

DIMENSION	1400*140*9,5 mm
TOP LAYER	approx. 3 mm
COMPOSITION	HDF
LAYING PATTERN	plank
PACKAGE SIZE	1,96 m ²
PALLET SIZE	107,8 m ² / 55 packages
WEIGHT	approx. 7,6 kg / m ²



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

EPICO TREND 140		MATT LACQUER (bevelled)		OIL (brushed, bevelled)	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	style	76,00	15985	76,00	15915
	charakter	59,80	15984	59,80	15916
	ambiente NEW			49,80	19679
Smoked oak	charakter	85,50	15987	85,50	15986
American walnut	style	156,00	16718	156,00	16640
	charakter	107,80	16717	107,80	16599

EPICO TREND 140 COLOURLINE*		MATT LACQUER (bevelled)		OIL (brushed, bevelled)	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	diamant	63,80	16049	63,80	15974
	saphir	63,80	16050	63,80	15940

*Colourline illustration page 28

EPICO MODERN 140

2-layer engineered parquet

DIMENSION	690*140*9,5 mm
TOP LAYER	approx. 3 mm
COMPOSITION	HDF
LAYING PATTERN	brick pattern, herringbone
PACKAGE SIZE	1,932 m ²
PALLET SIZE	85,008 m ² / 44 packages
WEIGHT	approx. 7,6 kg / m ²



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

EPICO MODERN 140		MATT LACQUER (bevelled)		OIL (brushed, bevelled)	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	style	83,00	18732	83,00	18733
	charakter	71,00	18734	71,00	18735

EPICO MODERN 140		OIL (brushed, bevelled)	
COLOURLINE		EUR / m ²	Prod.nr.
Oak	style diamant	87,00	18764
	charakter diamant	75,00	18765
	style saphir	87,00	18745
	charakter saphir	75,00	18746
	charakter havanna NEW	75,00	19458

*Colourline illustration page 28

KREATIV 2-layer engineered parquet

DIMENSION	480*240*9,5 mm, 720*240*9,5 mm
TOP LAYER	approx. 3 mm
COMPOSITION	HDF
LAYING PATTERN	many creative possibilities
PROFILE	bevelled tonge and groove (r+l)
PACKAGE SIZE	480 mm: 1,728 m ² , 720 mm: 2,592 m ²
PALLET SIZE	480 mm: 93,312 m ² , 720 mm: 93,312m ²
WEIGHT	approx. 7,6 kg / m ²



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).


You will find the matching skirtings on p. 25.

KREATIV		MATT LACQUER (bevelled)	OIL (brushed, bevelled)
		EUR / m ²	EUR / m ²
Oak	style	128,00	128,00
	charakter	99,00	99,00
Smoked oak	style NEW	153,00	153,00

KREATIV COLOURLINE*		OIL (brushed, bevelled)
		EUR / m ²
Oak	style diamant NEW	135,00
	charakter diamant NEW	104,00
	style saphir NEW	135,00
	charakter saphir NEW	104,00

*Colourline illustration page 28

An extract from possible laying variants:



B:HARD 223

WoodTec plank



DIMENSION	2200*223*11 mm
	with Powdertechology
COMPOSITION	Compositiek™
LAYING PATTERN	plank
PROFILE	Click G2® / G5®, Microfase
INSTALLATION	floating or glued
PACKAGE SIZE	1,962 m²
PALLET SIZE	102,024 m² / 52 packages
WEIGHT	approx. 10,1 kg / m²

We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg). **Underlay mat Universal Standard Alu 3IN1** (€ 6,80 / m²). **Underlay Universal Standard 2.0** (€ 6,40 / m²). Oil surface: The **wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see page 27). Fire class Bfl-S1 only when using Universal Standard Alu 3IN1 or when gluing on screed! You will find the matching skirtings on p. 25.

B:HARD		MATT LACQUER FORTE (brushed, bevelled)		OIL (brushed, bevelled)	
		EUR / m²	Prod.nr.	EUR / m²	Prod.nr.
Oak	style	66,50	18983	66,50	17930
	charakter	60,00	18895	60,00	17922
	crack			71,00	17929
Oak broncé	charakter	75,00	18982	75,00	17928
Am. walnut	style			88,00	17991
	charakter			78,00	17270

B:HARD COLOURLINE*		MATT LACQUER FORTE (brushed, bevelled)		OIL (brushed, bevelled)	
		EUR / m²	Prod.nr.	EUR / m²	Prod.nr.
Oak	style calcit NEW	70,50	18268	70,50	19030
	charakter calcit NEW	64,00	18307	64,00	19031
	style diamant	70,50	18998	70,50	18568
	charakter diamant	64,00	18999	64,00	18332
	style saphir	70,50	19000	70,50	17931
	charakter saphir	64,00	19001	64,00	19026
	crack saphir			75,00	17932
	style cotton white	70,50	19360	70,50	18739
	charakter cotton white	64,00	19359	64,00	18738
	style topaz	70,50	19402	70,50	19401
	charakter used kristall			64,00	17936
	crack kristall			75,00	17933
	charakter used granat			64,00	17937
	crack granat			75,00	17934

*Colourline illustration page 28

B:HARD 283

WoodTec plank



DIMENSION	2200*283*11 mm
	with Powdertechnologie
COMPOSITION	Compositetek™
LAYING PATTERN	plank
PROFILE	Click G2® / G5®, Microfase
INSTALLATION	floating or glued
PACKAGE SIZE	2,490 m²
PALLET SIZE	112,05 m² / 45 packages
WEIGHT	approx. 10,1 kg / m²

We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg). **Underlay mat Universal Standard Alu 3IN1** (€ 6,80 / m²). **Underlay Universal Standard 2.0** (€ 6,40 / m²). Oil surface: The **wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see page 27). Fire class Bfl-S1 only when using Universal Standard Alu 3IN1 or when gluing on screed! You will find the matching skirtings on p. 25.

B:HARD		MATT LACQUER FORTE (brushed, bevelled)		OIL (brushed, bevelled)	
		EUR / m²	Prod.nr.	EUR / m²	Prod.nr.
Oak	style	70,50	19040	70,50	17648
	charakter	64,00	18665	64,00	17649
	crack			75,00	17650
Oak broncé	charakter	79,00	19407	79,00	17651

B:HARD COLOURLINE*		MATT LACQUER FORTE (brushed, bevelled)		OIL (brushed, bevelled)	
		EUR / m²	Prod.nr.	EUR / m²	Prod.nr.
Oak	style calcit	73,50	18663	73,50	19086
	charakter calcit	67,00	19406	67,00	19044
	style diamant	73,50	19408	73,50	19046
	charakter diamant	67,00	19410	67,00	18173
	style saphir			73,50	17655
	charakter saphir			67,00	18174
	crack saphir			79,00	17652
	crack kristall			79,00	17653
	crack granat			79,00	17654

*Colourline illustration page 28

B:HARD MODERN

WoodTec herringbone

DIMENSION	774*129*11 mm
	with Powdertecnologie
COMPOSITION	Compositek TM
LAYING PATTERN	herringbone
PROFILE	Click G2® / G5®, Microfase
INSTALLATION	floating or glued
PACKAGE SIZE	1,997 m ²
PALLET SIZE	87,868 m ² / 44 packages
WEIGHT	approx. 10,1 kg / m ²



Wir empfehlen folgenden Kleber: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Unterlagsmatte Universol Standard Alu 3IN1 (€ 6,80 / m²). Unterlagsmatte Universol Standard 2.0 (€ 6,40 / m²). Öloberfläche:

Zur regelmäßigen Pflege wird die **Holzbodenseife** (€ 24,10 / l) empfohlen (siehe Seite 27). Brandklasse Bfl-S1 nur bei Verwendung von Universol Standard Alu 3IN1 oder bei Verklebung auf Estrich! Die passenden **Sockelleisten** finden Sie auf S. 25.

B:HARD MODERN		MATT LACQUER forte (Microfase)		OIL (brushed, Microfase)	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	style	79,90	18846	79,90	18845

B:HARD MODERN COLOURLINE		MATT LACQUER FORTE (brushed, bevelled)		OIL (brushed, Microfase)	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	style calcit NEW			82,90	19369
	style diamant	82,90	18993	82,90	18876
	style saphir			82,90	18877
	style cotton white			82,90	18995

*Colourline illustration page 28

ACTUS XL 4.0 HDF

2-layer engineered parquet

DIMENSION	1000*90*9,5 mm
TOP LAYER	approx. 4 mm
COMPOSITION	HDF
LAYING PATTERN	brick pattern
PACKAGE SIZE	2,34 m ²
PALLET SIZE	74,88m ² / 32 packages
WEIGHT	approx. 7,9 kg / m ²



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

ACTUS XL 4.0 HDF		MATT LACQUER		OIL	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	select	70,50	16274	72,50	16518
	design	66,00	15015	68,00	15016
	ambiente	55,00	15285	57,00	15284
OIL (brushed, bevelled)					
Oak	design			75,00	16459
Smoked oak	design			78,00	16467
Am. walnut	design			126,00	16464

ACTUS XL 4.0 HDF COLOURLINE*		MATT LACQUER		OIL (brushed)	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	diamant	69,00	16786	72,50	16455
	saphir	69,00	15643	72,50	15437

*Colourline illustration page 28

ACTUS XL 3.0 HDF

2-layer engineered parquet

DIMENSION	1000*90*8,5 mm
TOP LAYER	approx. 3 mm
COMPOSITION	HDF
LAYING PATTERN	brick pattern
PACKAGE SIZE	2,7 m ²
PALLET SIZE	86,4 m ² / 32 packages
WEIGHT	approx. 7,9 kg / m ²



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

ACTUS XL 3.0 HDF		MATT LACQUER	
		EUR / m ²	Prod.nr.
Oak	select	67,00	17829
	design	59,80	17832

ACTUS XL 3.0 COLOURLINE*		MATT LACQUER (brushed)	
		EUR / m ²	Prod.nr.
Oak	diamant	62,80	18255
	saphir	62,80	17838

*Colourline illustration page 28

ACTUS EMOCION 4.0

2-layer engineered
parquet

DIMENSION	630*90*10 mm
TOP LAYER	approx. 4 mm
COMPOSITION	spruce, cover lamella
LAYING PATTERN	brick pattern, herringbone
PACKAGE SIZE	2,041 m ²
PALLET SIZE	97,968 m ² / 48 packages
WEIGHT	approx. 5,6 kg / m ²



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

ACTUS EMOCION		MATT LACQUER		OIL	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	select	78,90	11922	81,90	11923
	struktur	61,50	11925	64,50	11926
Smoked oak	design	80,00	11928	83,00	11929

ACTUS EMOCION COLOURLINE*		MATT LACQUER		OIL (brushed)	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	diamant			75,30	16054
	saphir	71,80	14204	75,30	14205

*Colourline illustration page 28

ACTUS EMOCION 4.0 HDF

2-layer engineered parquet



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

DIMENSION	630*90*9,5 mm
TOP LAYER	approx. 4 mm
COMPOSITION	HDF
LAYING PATTERN	brick pattern, herringbone
PACKAGE SIZE	2,155 m ²
PALLET SIZE	103,44 m ² / 48 packages
WEIGHT	approx. 7,9 kg / m ²
MAUERFRIES	
DIMENSION	1400*140*9,5 mm
TOP LAYER	approx. 3 mm
PACKAGE SIZE	14 m
WEIGHT	approx. 1,06 kg / m

ACTUS EMOCION HDF		MATT LACQUER		OIL	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	select	70,50	16913	73,50	16203
	design	57,90	16474	60,90	16477
	ambiente	49,00	16476	52,00	15773
ACTUS EMOCION HDF		OIL (brushed, bevelled)		MAUERFRIES 140, OIL (brushed, bevelled)	
		EUR / m ²	Prod.nr.	EUR / lfm	Prod.nr.
Oak	design	66,20	16488	16,10	19680
Smoked oak	design	70,00	16504		
Oak broncé	design	73,80	19688	20,40	19685
Am. walnut	design	124,00	16502		

ACTUS EMOCION HDF COLOURLINE*		MATT LACQUER		OIL (brushed)		PURE (brushed, bevelled)	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	calcit					67,40	18299
	diamant			64,40	16480		
	saphir	60,90	16481	64,40	16483	67,40	18358
				OIL (brushed)		PURE (brushed)	
	kristall			64,40	16482	67,40	18302
	beryll					67,40	18300
	bernstein					67,40	18303
Special surfaces				OIL (brushed, bevelled)			
Oak	rough sawn			86,90	18389		
	saphir						
	chopped			93,00	18359		

*Colourline illustration page 28

ACTUS 6.0 HDF

2-layer engineered parquet

DIMENSION	500*70*11,5 mm
TOP LAYER	approx. 6 mm
COMPOSITION	HDF
LAYING PATTERN	brick pattern, herringbone
PACKAGE SIZE	2,1 m ²
PALLET SIZE	100,8 m ² / 48 packages
WEIGHT	approx. 7 kg / m ²



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

ACTUS 6.0 HDF		MATT LACQUER		OIL	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	exquisit	78,00	17557	80,00	11521
	natur	72,30	13931	74,30	11523
	design	64,80	11524	66,80	13872
	struktur	56,20	13575	58,20	11535
	ambiente	48,90	11526	50,90	15402
Smoked oak	select	89,00	15333	91,00	16312
	design	78,00	15336	80,00	16634
	struktur / striped	45,00	15334	47,00	16354

ACTUS 4.0 2-layer engineered parquet

DIMENSION	500*70*10 mm
TOP LAYER	approx. 4 mm
COMPOSITION	sprute
LAYING PATTERN	brick pattern, herringbone
PACKAGE SIZE	2,38 m ²
PALLET SIZE	114,24 m ² / 48 packages
WEIGHT	approx. 5,6 kg / m ²



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

ACTUS 4.0		MATT LACQUER		OIL	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	exquisit	77,00	11126	79,00	11128
	natur	69,00	11135	71,00	11136
	struktur	54,00	11150	56,00	11152
Smoked oak	select	90,50	11162	92,50	11164
Am. walnut	select	113,00	11228	115,00	11229
	struktur	96,00	11231	98,00	11232

ACTUS 4.0 COLOURLINE*		MATT LACQUER		OIL	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	saphir	63,00	14657	65,00	14533

*Colourline illustration page 28

ACTUS 4.0 HDF

2-layer engineered parquet

DIMENSION	500*70*9,5 mm
TOP LAYER	approx. 4 mm
COMPOSITION	HDF
LAYING PATTERN	brick pattern, herringbone
PACKAGE SIZE	2,52 m ²
PALLET SIZE	120,96 m ² / 48 packages
WEIGHT	approx. 7,9 kg / m ²



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

ACTUS 4.0 HDF		MATT LACQUER		OIL	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	exquisit	67,00	13089	70,00	13090
	natur	57,00	13096	60,00	13098
	design	52,50	13100	55,50	13085
	struktur	46,00	13119	49,00	13121
	lebhaft	46,00	18618	49,00	18484
Smoked oak	design	66,50	13576	69,50	13124
Beech steamed	natur	55,00	13068	58,00	13069
Beech unsteamed	natur	55,00	13078	58,00	15295
Canadian maple	natur	95,50	13022	98,50	13023
	struktur	39,80	13036	42,80	13037
Am. walnut	select	103,00	14054	106,00	13169
	struktur	55,00	13172	58,00	13173
Ash	select	65,00	13145	68,00	13146
	struktur	49,00	13150	52,00	13151

ACTUS 3.0 HDF

2-layer engineered parquet

DIMENSION	500*70*8,5 mm
TOP LAYER	approx. 3 mm
COMPOSITION	HDF
LAYING PATTERN	brick pattern, herringbone
PACKAGE SIZE	2,8 m ²
PALLET SIZE	134,4 m ² / 48 packages
WEIGHT	approx. 7,6 kg / m ²



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

ACTUS 3.0 HDF		MATT LACQUER		OIL	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	natur	53,90	14600	56,90	14629
	design	49,40	11014	52,40	13929
Smoked oak	design	62,00	13709	65,00	16208
Am. walnut	design	89,00	11030	92,00	14633
Beech steamed	design	45,00	11007	48,00	15008

ACTUS 3.0 HDF COLOURLINE*		MATT LACQUER		MATT LACQUER (brushed)		OIL	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	diamant	51,90	15637	54,90	17028	53,90	15635
	saphir	51,90	14066	54,90	17024	53,90	15022
	bernstein			54,90	17030		

*Colourline illustration page 28

ELEMENTS PARALLEL 2-layer engineered parquet

DIMENSION	720*240*10 mm
TOP LAYER	approx. 4 mm
COMPOSITION	HDF
LAYING PATTERN	wide slats / industrial design
PACKAGE SIZE	2,419 m ²
PALLET SIZE	77,408 m ² / 32 packages
WEIGHT	approx. 7,9 kg / m ²



We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

ELEMENTS PARALLEL		MATT LACQUER		OIL	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	natur	70,20	18889		
	lebhaft	60,00	17008	66,00	17286

ELEMENTS PARALLEL COLOURLINE*		MATT LACQUER		OIL	
		EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Oak	saphir	64,50	17352	70,50	17117

*Colourline illustration page 28

ELEMENTS

2-layer engineered parquet

DIMENSION	1000*100*10 mm
TOP LAYER	approx. 4 mm
COMPOSITION	spruce, hardwood top lamella
LAYING PATTERN	wide slats / industrial design
PACKAGE SIZE	2,6 m ²
PALLET SIZE	93,6 m ² / 36 packages
WEIGHT	approx. 5,6 kg / m ²








We recommend the following adhesive: **Bostik Wood 180 Classic** (€ 6,30 / kg).

Oil surface: Oil surface: **The wooden floor soap** (€ 24,10 / l) is recommended for regular maintenance (see p. 27).

You will find the matching skirtings on p. 25.

ELEMENTS	MATT LACQUER		OIL	
	EUR / m ²	Prod.nr.	EUR / m ²	Prod.nr.
Acacia	58,20	11903	60,00	11904
Ash	49,60	14161	51,40	11913

Skirting boards



Wood	Angled skirting profile A, solid		Solid skirting profile B		Skirting board KS 40 40 / 18, veneered		Skirting board modern 40 40 / 16, veneered		Skirting board modern 58 58 / 16, veneered	
	23*32*2400 mm		10*35*2400 mm		40*18*2400 mm		40*16*2400 mm		58*16*2400 mm	
Packaging: 10 pieces / unit	EUR / rm	Prod.nr.	EUR / rm	Prod.nr.	EUR / rm	Prod.nr.	EUR / rm	Prod.nr.	EUR / rm	Prod.nr.
Oak matt laquer	4,20	12888	4,20	12910	3,50	17982	3,90	18402	4,60	15932
Colourline oak matt laquer							6,20			
Oak raw					3,30	17984	3,60	18391	4,70	15933
White opaque					3,90	17985	3,90	18394		

Stair edges

COMPOSITION	2-layer engineered flooring or B:hard
SURFACE	Matt lacquer, pure or oil to match flooring
STAIR EDGE	Lengths on demand up to max. 1500 mm
COVER STRIP	Lengths on demand up to max. 1500 mm

	FLOOR	SURFACE	OAK EUR / RM	SMOKED OAK & AM. WALNUT EUR / RM
Stair edge profile A 40*20 mm 	Epico	matt lacquer, oil s	33,20	43,50
		matt lacquer Colourline, pure, oil	36,20	46,50
	B:hard	oil	33,20	43,50
		oil Colourline	36,20	46,50
Stair edge profile B 20*20 mm 	Actus	matt lacquer, oil	30,80	40,60
		matt lacquer Colourline, pure, oil	33,80	43,60
	Epico	matt lacquer, oil	30,80	40,60
		matt lacquer Colourline, pure, oil	33,80	43,60
Stair edge profile B 20*10 mm 	B:hard	oil	30,90	40,40
		oil Colourline	33,90	43,40
Cover strip 40*10 mm 	Actus	matt lacquer, oil	33,20	43,20
		matt lacquer Colourline, pure, oil	36,20	46,20
	Epico	matt lacquer, oil	33,20	43,20
		matt lacquer Colourline, pure, oil	36,20	46,20
	B:hard	oil	33,50	43,20
		oil Colourline	36,50	46,20
			€ / unit	
Cover strip 500*40*10 mm for covering stair sides Fixed length! 	Actus	matt lacquer, oil	26,60	34,50
		matt lacquer Colourline, pure, oil	28,60	36,50
	Epico	matt lacquer, oil	26,60	34,50
		matt lacquer Colourline, pure, oil	28,60	36,50
	B:hard	oil	26,60	34,50
		oil Colourline	28,60	36,50

Price per running meter (except cover strip 500*40*10 mm); Shorter lengths than 1 m will be charged with 1 m.

Adhesive, car & underlay mats

ADHESIVE	EUR / unit	Prod. nr.
Bostik, Bostik Wood 180 Classic, 17 kg Solvent-free one-component adhesive for elastic bonding of two-layer and three-layer prefinished parquet flooring	6,30	15969
Bostik, Bostik Wood 200 Elastic, 17 kg Solvent-free one-component adhesive for elastic bonding Solid parquet and ready-to-lay parquet	7,50	15970

OIL, CARE & UNDERLAY MATS	EUR / unit	Prod. nr.
Adler, Legno wood floor soap for oxydative oiled parquet surfaces 1000 ml High quality soap for regular cleaning and maintenance of oiled, waxed and leached wooden and parquet floors, oiled cork floors and laminate floors, sufficient for approx. 500 m ² .	24,10	17578
Adler, Legno cleaner for oxydative oiled parquet surfaces 1000 ml Clear, colorless liquid based on mild-smelling isoparaffins. Very good cleaning effect, sufficient for 50 m ² . Moisten soft cleaning cloth with Legno Cleaner and wipe soiled surfaces; then wipe dry.	26,00	17620
Adler, Legno care oil for oxydative oiled parquet surfaces 1000 ml Quick-drying, easy-to-apply maintenance oil for the treatment of hardwoods and softwoods. Oiled surfaces with light soiling are cleaned, refreshed and the pleasant feel is renewed. When applied 1-2 times sufficient for 15-30 m ² .	15,10	17640
Adler, Clean parquet cleaner for sealed parquet surfaces 1000 ml Clean parquet cleaner is a special cleaner for sealed floors before the application of Clean parquet care. Removes dirt and stubborn stains and heel marks, sufficient for 40-80 m ² .	18,40	17581
Adler, Clean parquet care for sealed parquet surfaces 1000 ml Clean Parquet Care forms a very thin, resistant protective film with a uniform silky gloss effect. Good resistance to abrasion, water and household chemicals. Undiluted sufficient for 20 m ² , depending on dilution up to 200 m ² per liter.	26,70	17580
Parquet underlay mat Universol Standard Alu 3IN1, 8 m²/roll with aluminum coating as moisture protection - vapor barrier, for laying on screed. Thickness 2 mm. Compression hardness 250 kPa.	6,80	18906
Parquet underlay mat Universol Standard 2.0, 8 m²/roll For laying on wooden subfloors, as permeable to diffusion	6,40	17243

Colourline & special surfaces




Oak calcit




Oak diamant




Oak saphir




Oak cotton white




Oak kristall




Oak bernstein




Oak granat




Oak topaz




Oak broncé




Smoked oak




Oak aged (achat)




Oak crack



Oak planed



Oak chopped



Oak rough sawn
(saphir)

Excerpt Eco-certification

Certified products	Multilayer parquet with HDF core up to 6mm top layer*. *does not apply to smoked products
Sample type	parquet
Producer	Stöckl Parkett GmbH Heide 25, Straße 1 A-3331 Kematen/Ybbs
Certification No.	ID 1218 - 13117 - 001
Test report no.	56241-001-006-eLL-G 55580-001-002-L 56241-001-006-L
Test scope	Laboratory testing for emissions and ingredients that pose a health risk.
Test result	The products examined meet the requirements of the eco-INSTITUT. For details, see the associated expert report.
Certificate validity	12/2024

certified products



Epico trend 240*
Epico trend 190*
Epico trend 140*
Epico modern 140
Actus XL 4.0 HDF*
Actus XL 3.0 HDF*
Actus Emocion HDF*
Actus 6.0 HDF*
Actus 4.0 HDF*
Actus 3.0 HDF*
Kreativ
Elements parallel*
B:hard
B:hard modern

*does not apply to smoked products

The official certificate can be requested directly from the sales office.