


PRICE LIST

2021

JANUARY

VALID UP TO 30th JUNE 2021





20 mm

14 mm

5 plus (5,5 mm) - 6 plus (6,5 mm)

Reinforced with fibreglass

3 plus (3,5 mm)

Reinforced with fibreglass



P R () T E C T[®]

SUPERFICIE ANTIBATTERICA
ANTIMICROBIAL SURFACE

with **MICROBAN[®]**

14mm

EXTRA THICK
PORCELAIN
STONEWARE

EXTRA THICK
MAXIMUM
RESISTANCE



608 KG
ISO 10545-4



T7-U7
EN 1339

CADORE	11
PR()TECT	
LIMESTONE	18
PR()TECT	
LITHOS	20
PR()TECT	
SECRET STONE	27
PR()TECT	
STONEQUARTZ	29

X-BETON	36
PR()TECT	

kerlite
3plus

ULTRA THIN
PORCELAIN
STONEWARE

REINFORCED
WITH FIBREGLASS

BLACK-WHITE	8
PR()TECT	
BUXY	10
PR()TECT	
CLUNY NATURALE	14
PR()TECT	
OVER	25
PR()TECT	
WONDERWALL	32
PR()TECT	

kerlite
5plus

THIN
PORCELAIN
STONEWARE

REINFORCED
WITH FIBREGLASS

BLACK-WHITE	8
PR()TECT	
CEMENT PROJECT	12
PR()TECT	
CLUNY LAYÉ	14
PR()TECT	
ELEGANCE	15
PR()TECT	
EXEDRA	15
PR()TECT	

FOREST	16
PR()TECT	

LIMESTONE	19
PR()TECT	

MATERICA	23
PR()TECT	

METAL	24
PR()TECT	

GRUNGE	17
PR()TECT	

LITHOS	22
PR()TECT	

PIETRA D'ISEO	26
PR()TECT	

VANITY	30
PR()TECT	

WOODLAND	35
PR()TECT	

kerlite
6plus

THIN
PORCELAIN
STONEWARE

REINFORCED
WITH FIBREGLASS

kerlite
easy

FLOATING
FLOOR
SYSTEM

KERLITE EASY	38
---------------------	-----------

20mm

ULTRA THICK
PORCELAIN
STONEWARE

HIGH
PERFORMANCE



1360 KG
ISO 10545-4



U14
EN 1339

BLUESTONE EVOLUTION	9
PR()TECT	
CLUNY	13
PR()TECT	
LIMESTONE	19
PR()TECT	
LITHOS	22
PR()TECT	
PIETRA D'ISEO	26
PR()TECT	
SECRET STONE	28
PR()TECT	
STONEQUARTZ	29
PR()TECT	
X-BETON	37

SUPERIOR QUALITY THIN CERAMIC SLABS

Large-sized laminated porcelain stoneware reinforced with fibreglass: a light, resistant and versatile product for new design perspectives in the world of architecture and housing.

Highest standards in quality and performance

Thanks to the use of the best raw materials

Highly compact and elastic slabs

Thanks to a unique pressing process

Excellent aesthetic look of the products



Thanks to exclusive surface processing technologies

Extraordinary added resistance

Thanks to the reinforcing fibreglass mesh

Highly eco-friendly

Less raw materials used, lower water and energy consumption and lower CO₂ emissions



Reinforced with fibreglass on the rear side

Ideal flooring and wall cladding both for new buildings and for renovation projects with tiling laid on pre-existing floors:

3plus

3,5mm

Ideal in residential and light commercial spaces..


5plus

5,5mm

Ideal in residential and commercial spaces including those subjected to heavy traffic.

6plus

6,5mm





EXTRA THICK PORCELAIN STONEWARE MORE BEAUTIFUL SURFACES AND 3 TIMES MORE RESISTANT

More beautiful

Elegant style, exclusive and prestigious design

The purest raw materials and most beautiful colours

Surfaces with a unique brightness and a soft texture

Large sizes

Extraordinarily flat

Minimal joint width

More resistant

3 Times more resistant to breaking load

Guaranteed up to 20 years

Resistant to the toughest stains, does not absorb

Resistant to dirt

Easy to clean 24 Hours a day antibacterial protection

Environmentally friendly



The most durable cladding material in the world

Renewable energy sources

Reduced energy consumption and reduced CO₂ emissions

Protecting water resources

Recycled material content





20MM PORCELAIN STONEWARE FOR OUTDOOR

20mm porcelain stoneware has the highest technical performance of any product and is perfect for outdoor spaces, with no risk of breakage. It enables solutions that create seamless continuity between interior and exterior spaces. Resistant to frost and to thermal shock, it also has heightened anti-slip characteristics, maintains its texture and color over time, and is easy to clean. the perfect union between aesthetic quality and high technical performance, guaranteeing limitless durability.

Highly resistant to heavy loads

Superior mechanical strength

High slip resistance

Frost-resistant

Fire resistant

Resistant to thermal shock, atmospheric agents, acids, mould and salt

Exceptional resistance to stains

Resistant to vehicular passage when applied to a screed with adhesives


Easy to install, remove and reuse

Easy to clean

Eternal: the product and its colours are stable over time

Eco-friendly: manufactured in a way which respects and sustains the environment

Can be combined with products for interior spaces seamlessly and without interruptions




60x60

75x75


90x90

60x120

k=rlite 5plus
P R () T E C T




ULTRAWHITE




BLACK

SIZES cm			SILK	GLOSSY	box	pl
100x300		€/Sq mt	117,00	140,50	sq mt 3 per pc kg 34,50	box 13 loose pc sq mt 39 kg 448
100x100		€/Sq mt	99,50	123,00	pc 2 sq mt 2 kg 23,00	box 25 sq mt 50 kg 575
50x100		€/Sq mt	93,00	116,50	pc 3 sq mt 1,50 kg 18,90	box 32 sq mt 48 kg 604,8

k=rlite 3plus




SNOW



BLACK

SIZES cm					box	pl
100x300		€/Sq mt	97,50		sq mt 3 per pc kg 23,40	box 20 loose pc sq mt 60 kg 468
100x100		€/Sq mt	79,00		pc 3 sq mt 3 kg 23,40	box 25 sq mt 75 kg 585
50x100		€/Sq mt	74,50		pc 5 sq mt 2,5 kg 19,50	box 32 sq mt 80 kg 624


20mm

ROCKSTONE


SIZES cm			LAYÉ RETT.	box	pl
90x90		€/Sq mt	82,00	pc 1 sq mt 0,81 kg 37,30	box 30 sq mt 24,30 kg 1119
60x60		€/Sq mt	69,50	pc 2 sq mt 0,72 kg 33,60	box 32 sq mt 23,04 kg 1075
SPECIAL PIECES cm			RETT.	box	pl
60x30 th. 2,0	 	Step tread straight edge with grooves and drip flap €/Pc	65,00	pc 1 kg 8,125	box 100 pc 100 kg 812
60x15 th. 2,0		Grill component €/Pc	75,00	pc 2 kg 8	box 100 pcw 200 kg 800

k=rlite 3plus



CORAIL BLANC




AMANDE




CAMEL



NOISETTE





PERLE




CENDRE

SIZES cm


				box	pl
100x300		€/Sq mt	90,50		box 20 loose pc
				sq mt 3 per pc	sq mt 60
				kg 23,40	kg 468
100x100		€/Sq mt	66,50	pc 3	box 25
				sq mt 3	sq mt 75
				kg 23,40	kg 585
50x100		€/Sq mt	69,50	pc 5	box 32
				sq mt 2,5	sq mt 80
				kg 19,50	kg 624
50x50		€/Sq mt	66,00	pc 7	box 48
				sq mt 1,75	sq mt 84
				kg 13,65	kg 655

14mm**P R () T E C T**


ALPE









BAITA



BOSCO



MALGA

SIZES cm		RETT.	box	pl
30x180	 €/Sq mt	80,00	pc 2	box 45
			sq mt 1,08	sq mt 48,60
			kg 34	kg 1530
20x180	 €/Sq mt	80,00	pc 3	box 40
			sq mt 1,08	sq mt 43,20
			kg 32,65	kg 1305
SPECIAL PIECES cm		RETT.	box	pl
60x10 th. 1,0	 Bullnose €/Lm	10,50	pc 16	box 48
			lm 9,66	lm 463
			kg 20,00	kg 960
120x34x4,5 th. 1,4	 Step tread PLUS €/Pc	169,50	pc 1	box 24
				pc 24
			kg 20,30	kg 492
120x34x4,5 th. 1,4	 Step tread PLUS right/left corner €/Pc	234,50	pc 1	box 24
				pc 24
			kg 15,30	kg 372
60x34x4,5 th. 1,4	 Step tread PLUS €/Pc	109,00	pc 2	box 48
				pc 96
			kg 20,30	kg 984
60x34x4,5 th. 1,4	 Step tread PLUS right/left corner €/Pc	125,00	pc 2	box 48
				pc 96
			kg 17,00	kg 816


k=rlite 5plus P R () T E C T




COLOR-10 WORK




COLOR-20 WORK




COLOR-30 WORK

SIZES cm			WORK	box	pl
100x300		€/Sq mt	106,50	sq mt 3 per pc kg 34,50	box 13 loose pc sq mt 39 kg 448
50x150		€/Sq mt	97,00	pc 2 sq mt 1,50 kg 17,25	box 32 sq mt 48 kg 552


k=rlite 5plus P R () T E C T




COLOR-00 CEM




COLOR-10 CEM




COLOR-20 CEM




COLOR-30 CEM




COLOR-40 CEM

SIZES cm			CEM	box	pl
100x300		€/Sq mt	97,50	sq mt 3 per pc kg 34,50	box 13 loose pc sq mt 39 kg 448
100x100		€/Sq mt	80,50	pc 2 sq mt 2,00 kg 23,00	box 25 sq mt 50 kg 575

20mm

CHAMPAGNE




BOURGOGNE




ARGEROT

SIZE cm		LAYÉ RETT.		box	pl
75x75		€/Sq mt	72,50	pc 1	box 42
				sq mt 0,56	sq mt 23,62
				kg 24,90	kg 1045
SPECIAL PIECES cm		RETT.		box	pl
75x34 th. 2,0	 	Step tread straight edge with grooves and drip flap €/Pc	79,00	pc 1	box 128
				kg 11,50	kg 1472
75x15 th. 2,0		Grill component €/Pc	90,00	pc 2	box 64
				kg 10,00	kg 640


k=rlite5plus



CHAMPAGNE




ARGEROT


SIZES cm		€/Sq mt	LAYÉ	box	pl
100x300			108,50		box 13 loose pc
				sq mt 3 per pc	sq mt 39
				kg 34,50	kg 448
100x100			91,50		
				pc 2	box 25
				sq mt 2	sq mt 50
				kg 23,00	kg 575

k=rlite3plus

P R () T E C T




CHAMPAGNE




BOURGOGNE



ARGEROT


SIZES cm		€/Sq mt	NATURALE	box	pl
100x300			82,00		box 20 loose pc
				sq mt 3 per pc	sq mt 60
				kg 23,40	kg 468
100x100			72,50		
				pc 3	box 25
				sq mt 3	sq mt 75
				kg 23,40	kg 585

kerlite5plus
 P R () T E C T


VIA CONDOTTI




VIA MONTENAPOLEONE




VIA TORNABUONI




VIA FARINI


SIZES cm			SILK	box	pl
100x300		€/Sq mt	101,00		box 13 loose pc
				sq mt 3 per pc	sq mt 39
				kg 34,50	kg 448
100x100		€/Sq mt	74,00	pc 2	box 25
				sq mt 2	sq mt 50
				kg 23,00	kg 575

kerlite5plus
 P R () T E C T



ONYX EXTRA



CALACATTA




RAIN GREY

SIZES cm			SILK	GLOSSY	box	pl
100x300		€/Sq mt	105,50	127,00		box 13 loose pc
					sq mt 3 per pc	sq mt 39
					kg 34,50	kg 448
100x250		€/Sq mt	100,00	120,50		box 13 loose pc
					sq mt 2,50 per pc	sq mt 32,50
					kg 28,75	kg 373,8
100x100		€/Sq mt	88,00	114,00	pc 2	box 25
					sq mt 2	sq mt 50
					kg 23,00	kg 575
50x100		€/Sq mt	79,50	105,00	pc 3	box 32
					sq mt 1,50	sq mt 48
					kg 18,90	kg 604,8

The cost of the case used for slabs 100x300 and 100x250, € 79,00 net, will be charged for orders of less than 15 Sq mt.


k=rlite 5plus
P R () T E C T



ACERO






ROVERE




NOCE

SIZES cm

				box	pl
100x300		€/Sq mt	109,00	sq mt 3 per pc kg 34,50	box 13 loose pc sq mt 39 kg 448
33x300		€/Sq mt	103,00	sq mt 0,99 per pc kg 11,39	box 39 loose pc sq mt 38,61 kg 444
20x180		€/Sq mt	94,50	pc 3 sq mt 1,08 kg 13,50	box 40 sq mt 43,20 kg 540
20x120		€/Sq mt	94,50	pc 3 sq mt 0,72 kg 8,30	box 60 sq mt 43,20 kg 498

kerlite6plus
 P R () T E C T



MUSK



TAUPE



CLOUD



STORM


SIZES cm			NATURALE	box	pl
120x260		€/Sq mt	78,50		box 18 loose pc
				sq mt 3,12 per pc	sq mt 56,16
				kg 44,70	kg 804,60
120x120		€/Sq mt	72,50	pc 2	box 23
				sq mt 2,88	sq mt 66,24
				kg 41,20	kg 947,60
60x120		€/Sq mt	70,50	pc 3	box 15
				sq mt 2,16	sq mt 32,40
				kg 30,90	kg 463,50

14mm


PR()TECT



CLAY



AMBER



OYSTER




SLATE

SIZES cm			NATURAL RETT. PR()TECT	HONED RETT. PR()TECT	BLAZED RETT.	box	pl
60x120		€/Sq mt	72,50	88,50	75,50	pc 1 sq mt 0,72 kg 23,00	box 40 sq mt 28,80 kg 920
90x90		€/Sq mt	72,50	83,50		pc 1 sq mt 0,81 kg 25,20	box 32 sq mt 25,92 kg 805
60x60		€/Sq mt	59,50	69,50	59,50	pc 3 sq mt 1,08 kg 34,50	box 32 sq mt 34,56 kg 1104
30x60		€/Sq mt	55,00	65,50	55,00	pc 6 sq mt 1,08 kg 33,50	box 32 sq mt 34,56 kg 1072


SPECIAL PIECES cm			NATURAL RETT.	HONED RETT.	BLAZED RETT.	box	pl
90x7,2 th. 1,4		Skirting €/Lm	20,00	21,00		pc 13 lm 11,70 kg 26,00	box 30 lm 351 kg 780
60x7,2 th. 1,4		Skirting €/Lm			13,50	pc 9 lm 5,40 kg 14,58	box 40 lm 216 kg 583
120x34 th. 1,4		Step tread with grooves €/Pc	71,00	72,50	71,00	pc 2 kg 44	box 80 pc 160 kg 3600
120x34x4,5 th. 1,4		Step tread PLUS €/Pc	169,50		169,50	pc 1 kg 20,50	box 24 pc 24 kg 492
120x34x4,5 th. 1,4		Step tread PLUS right/left corner €/Pc	234,50			pc 1 kg 15,50	box 24 pc 24 kg 372

20mm

CLAY



AMBER




OYSTER



SLATE

SIZES cm		€/Sq mt	FIAMMATA RETT.	box	pl
60x120			72,50	pc 1	box 32
				sq mt 0,72	sq mt 23,04
				kg 32,50	kg 1040
90x90			72,50	pc 1	box 30
				sq mt 0,81	sq mt 24,30
				kg 37,30	kg 1119

SPECIAL PIECES cm			RETT.	box	pl
60x30 th. 2,0		Step tread straight edge with grooves and drip flap €/Pc	65,00	pc 1	box 100
				kg 8,125	kg 812
60x15 th. 2,0		Grill component €/Pc	75,00	pc 2	box 100
				kg 8	kg 800


kerlite 5plus
P R () T E C T

SIZES cm		€/Sq mt	NATURAL	box	pl
100x300			97,50		box 13 loose pc
				sq mt 3 per pc	sq mt 39
				kg 34,50	kg 448
100x250			93,00		box 13 loose pc
				sq mt 2,50 per pc	sq mt 32,50
				kg 28,75	kg 373,8
100x100			74,00	pc 2	box 25
				sq mt 2	sq mt 50
				kg 23,00	kg 575
50x100			80,00	pc 3	box 32
				sq mt 1,50	sq mt 48
				kg 18,90	kg 604,8


The cost of the case used for slabs 100x300 and 100x250, € 79,00 net, will be charged for orders of less than 15 Sq mt.

14mm


PR()TECT




MOON



STONE




DESERT




CARBON


SIZES cm			NATURALE RETT. PR()TECT	LAPPATA RETT. PR()TECT	SABBIATA RETT. PR()TECT	GRIP RETT.	box	pl
60x120		€/Sq mt	73,50	89,50	73,50	75,50	pc 1	box 40
							sq mt 0,72	sq mt 28,80
							kg 23,00	kg 920
90x90		€/Sq mt	73,50	84,00	73,50		pc 1	box 32
							sq mt 0,81	sq mt 25,92
							kg 25,20	kg 805
60x60		€/Sq mt	66,00	76,00	66,00	67,50	pc 3	box 32
							sq mt 1,08	sq mt 34,56
							kg 33,80	kg 1081
30x60		€/Sq mt	60,50	71,00	60,50	62,00	pc 6	box 32
							sq mt 1,08	sq mt 34,56
							kg 33,80	kg 1081

14mm
P R () T E C T



MOON



STONE




DESERT




CARBON

SPECIAL PIECES cm			NATURALE RETT. P R () T E C T	LAPPATA RETT. P R () T E C T	SABBIATA RETT. P R () T E C T	GRIP RETT.	box	pl
90x7,2 th 1,4		Skirting €/Lm	20,00	21,00			pc 13 lm 11,70 kg 26,00	box 30 lm 351 kg 780
60x7,2 th 1,4		Skirting €/Lm			13,50		pc 9 lm 5,40 kg 14,58	box 40 lm 216 kg 583
120x34 th 1,4		Step tread with grooves €/Pc	71,00	72,50			pc 2 kg 44	box 80 pc 160 kg 3600
120x34x4,5 th. 1,4		Step tread PLUS €/Pc	169,50	173,50			pc 1 kg 20,50	box 24 pc 24 kg 492
120x34x4,5 th. 1,4		Step tread PLUS right/left corner €/Pc	234,50				pc 1 kg 15,50	box 24 pc 24 kg 372
60x34 th 1,4		Step tread with grooves €/Pc			36,50	36,50	pc 5 kg 32,50	box 32 pc 160 kg 1040
60x34x4,5 th. 1,4		Step tread PLUS €/Pc			109,00	109,00	pc 2 kg 20,50	box 48 pc 96 kg 984


20mm




MOON



STONE



DESERT



CARBON

SIZE cm			BOCCIARDATA RETT.	box	pl
90x90		€/Sq mt	73,50	pc 1	box 30
				sq mt 0,81	sq mt 24,30
				kg 37,30	kg 1119

SPECIAL PIECES cm			RETT.	box	pl
60x30 th 2,0		Step tread straight edge with grooves and drip flap €/Pc	65,00	pc 1	box 100
				kg 8,125	kg 812
60x15 th 2,0		Grill component €/Pc	75,00	pc 2	box 100
				kg 8	kg 800

k-lite 6plus P R () T E C T


SIZES cm			NATURALE	SOFT	box	pl
120x260		€/Sq mt	96,00	105,50		box 18 loose pc
					sq mt 3,12 per pc	sq mt 56,16
					kg 44,70	kg 804,60
120x120		€/Sq mt	75,00	99,00	pc 2	box 23
					sq mt 2,88	sq mt 66,24
					kg 41,20	kg 947,60
60x120		€/Sq mt	73,00	97,00	pc 3	box 15
					sq mt 2,16	sq mt 32,40
					kg 30,90	kg 463,50

kerlite 5plus
PR () TECT


SIZES cm


				box	pl
100x300		€/Sq mt	115,00	sq mt 3 per pc kg 34,50	box 13 loose pc sq mt 39 kg 448
100x250		€/Sq mt	106,50	sq mt 2,50 per pc kg 28,75	box 13 loose pc sq mt 32,50 kg 373,8
100x100		€/Sq mt	97,50	pc 2 sq mt 2 kg 23,00	box 25 sq mt 50 kg 575
50x100		€/Sq mt	93,00	pc 3 sq mt 1,50 kg 18,90	box 32 sq mt 48 kg 604,8

k=rlite5plus
P R () T E C T




SIZES cm				box	pl
100x300		€/Sq mt	119,50		box 13 loose pc
				sq mt 3 per pc	sq mt 39
				kg 34,50	kg 448
100x100		€/Sq mt	101,00	pc 2	box 25
				sq mt 2	sq mt 50
				kg 23,00	kg 575


The cost of the case used for slabs 100x300, € 79,00 net, will be charged for orders of less than 15 Sq mt.

k=rlite3plus


OPENSACE



LOFT




OFFICE



ROAD

SIZES cm			NATURALE	SOFT	box	pl
100x300		€/Sq mt	89,00	104,50		box 20 loose pc
					sq mt 3 per pc	sq mt 60
					kg 23,40	kg 468
100x100		€/Sq mt	66,50	87,00	pc 3	box 25
					sq mt 3	sq mt 75
					kg 23,40	kg 585
50x100		€/Sq mt	75,50		pc 5	box 32
					sq mt 2,5	sq mt 80
					kg 19,50	kg 624
50x50		€/Sq mt	71,00		pc 7	box 48
					sq mt 1,75	sq mt 84
					kg 13,85	kg 655

20mm




CEPPPO


SIZE cm			BOCCIARDATA RETT	box	pl
90x90		€/Sq mt	72,50	pc 1 sq mt 0,81 kg 37,30	box 30 sq mt 24,30 kg 1119
SPECIAL PIECES cm			RETT.	box	pl
60x30 th. 2,0	 	Step tread straight edge with grooves and drip flap €/Pc	65,00	pc 1 kg 8,125	box 100 pc 100 kg 812
60x15 th. 2,0		Grill component €/Pc	75,00	pc 2 kg 8	box 100 pc 200 kg 800

k-lite 6plus P R () T E C T


SIZES cm			NATURALE	box	pl
120x260		€/Sq mt	83,00	sq mt 3,12 per pc kg 44,70	box 18 loose pc sq mt 56,16 kg 804,60
120x120		€/Sq mt	76,00	pc 2 sq mt 2,88 kg 41,20	box 23 sq mt 66,24 kg 947,60
60x120		€/Sq mt	74,00	pc 3 sq mt 2,16 kg 30,90	box 15 sq mt 32,40 kg 463,50
60x60		€/Sq mt	69,50	pc 4 sq mt 1,44 kg 20,77	box 24 sq mt 34,56 kg 498,48

14mm**PR () TECT**


MYSTERY WHITE



PRECIOUS BEIGE



SHADOW GREY




RARE DARK

SIZES cm			NATURAL RETT. PR () TECT	HONED RETT. PR () TECT	GRIP RETT.	box	pl
60x120		€/Sq mt	72,50	90,00		pc 1 sq mt 0,72 kg 23	box 40 sq mt 28,8 kg 920
90x90		€/Sq mt	72,50	87,00		pc 1 sq mt 0,81 kg 25,2	box 32 sq mt 25,92 kg 805
60x60		€/Sq mt	61,50	71,00	61,50	pc 3 sq mt 1,08 kg 33,4	box 32 sq mt 34,56 kg 1068
30x60		€/Sq mt	57,00	67,50	57,00	pc 6 sq mt 1,08 kg 33,3	box 32 sq mt 34,56 kg 1065
SPECIAL PIECES cm			NATURAL RETT.	HONED RETT.	GRIP RETT.	box	pl
90x7,2 th. 1,4		Skirting €/Lm	20,00	21,00		pc 13 lm 11,7 kg 26	box 30 lm 351 kg 780
60x7,2 th. 1,4		Skirting €/Lm			13,50	pc 9 lm 5,4 kg 14,58	box 40 lm 216 kg 583
60x34 th. 1,4	 	Step tread with grooves €/Pc			36,50	pc 5 kg 32,5	box 32 pc 160 kg 1040
60x34x4,5 th. 1,4	 	Step tread PLUS €/Pc			109,00	pc 2 kg 20,5	box 48 pc 96 kg 984
120x34 th. 1,4	 	Step tread with grooves €/Pc	71,00	72,50		pc 2 kg 44	box 80 pc 160 kg 3600
120x34x4,5 th. 1,4	 	Step tread PLUS €/Pc	169,50			pc 1 kg 20,5	box 24 pc 24 kg 492
120x34x4,5 th. 1,4	 	Step tread PLUS right/left corner €/Pc	234,50			pc 1 kg 15,5	box 24 pc 24 kg 372

20mm




MYSTERY WHITE



PRECIOUS BEIGE




SHADOW GREY




RARE DARK


SIZES cm			BOCCIARDATA RETT.	box	pl
60x120		€/Sq mt	72,50	pc 1 sq mt 0,72 kg 32,50	box 32 sq mt 23,04 kg 1040
90x90		€/Sq mt	72,50	pc 1 sq mt 0,81 kg 37,30	box 30 sq mt 24,30 kg 1119
SPECIAL PIECES cm			BOCCIARDATA RETT.	box	pl
60x30 th. 2,0	 	Step tread straight edge with grooves and drip flap €/Pc	65,00	pc 1 kg 8,125	box 100 pc 100 kg 812
60x15 th. 2,0		Grill component €/Pc	75,00	pc 2 kg 8	box 100 pc 200 kg 800

14mm


BERGEN





ARTIC





NORDIC




OSLO

SIZES cm		FIAMMATA RETT.	box	pl
60x60		€/Sq mt 66,00	pc 3 sq mt 1,08 kg 32,50	box 32 sq mt 34,56 kg 1040
30x60		€/Sq mt 66,00	pc 6 sq mt 1,08 kg 32,50	box 32 sq mt 34,56 kg 1040
SPECIAL PIECES cm		FIAMMATA RETT.	box	pl
60x7,2 th. 1,4		Skirting €/Lm 13,50	pc 9 lm 5,40 kg 14,58	box 40 lm 216 kg 583
60x34 th. 1,4		Step tread with grooves €/Pc 36,50	pc 5 kg 32,50	box 32 pc 160 kg 1040
60x34x4,5 th. 1,4		Step tread PLUS €/Pc 109,00	pc 2 kg 15,40	box 24 pc 48 kg 369,6

20mm

SIZES cm		FIAMMATA RETT.	box	pl
60x120		€/Sq mt 72,50	pc 1 sq mt 0,72 kg 32,50	box 32 sq mt 23,04 kg 1040
60x60		€/Sq mt 53,50	pc 2 sq mt 0,72 kg 32,50	box 32 sq mt 23,04 kg 1040
SPECIAL PIECES cm		RETT.	box	pl
60x30 th. 2,0	 	Step tread straight edge with grooves and drip flap €/Pc 65,00	pc 1 kg 8,125	box 100 pc 100 kg 812
60x15 th. 2,0		Grill component €/Pc 75,00	pc 2 kg 8	box 100 pc 200 kg 800


k-lite 6plus P R () T E C T



BIANCO LUCE



BIANCO STATUARIO




DARK BROWN




ONICE ROYAL






MACCHIA VECCHIA












PIETRA GREY

SIZES cm			TOUCH	GLOSSY	box	pl
120x260		€/Sq mt	125,00	125,00	sq mt 3,12 per pc kg 44,70	box 18 loose pc sq mt 56,16 kg 804,60
120x120		€/Sq mt	112,00	112,00	pc 2 sq mt 2,88 kg 41,20	box 23 sq mt 66,24 kg 947,60
60x120		€/Sq mt	109,50	109,50	pc 3 sq mt 2,16 kg 30,90	box 15 sq mt 32,40 kg 463,50


karlito 6plus
P R () T E C T
BIANCO STATUARIO **A**BIANCO STATUARIO **B**MACCHIA VECCHIA **A**MACCHIA VECCHIA **B**

SIZE cm			BOOKMATCH TOUCH	BOOKMATCH GLOSSY	box	pl
120x260		€/Sq mt	160,00	160,00	box 18 loose pc	sq mt 3,12 per pc
	available only in full composition (2 pcs)					sq mt 56,16 kg 44,70

BIANCO STATUARIO **A**BIANCO STATUARIO **B**BIANCO STATUARIO **C**BIANCO STATUARIO **D**BIANCO STATUARIO **E**MACCHIA VECCHIA **A**MACCHIA VECCHIA **B**MACCHIA VECCHIA **C**MACCHIA VECCHIA **D**MACCHIA VECCHIA **E**

SIZE cm			CHAIN TOUCH	CHAIN GLOSSY	box	pl
120x260		€/Sq mt	160,00	160,00	box 18 loose pc	sq mt 3,12 per pc
	available only in full composition (5 pcs)					sq mt 56,16 kg 44,70

kerlite 3plus



MATRIX

SIZES cm	PR () TECT	box	pl
100x300	106,00 €/Sq mt		box 20 loose pc
		sq mt 3 per pc kg 23,40	sq mt 60 kg 468
100x100	88,50 €/Sq mt	pc 3	box 25
		sq mt 3 kg 23,40	sq mt 75 kg 585




RITMI (A1)



RITMI (B2)



RITMI (C3)

SIZES cm	PR () TECT	box	pl
100x300	160,00 €/Sq mt		box 20 loose pc
		sq mt 3 per pc kg 23,40	sq mt 60 kg 468
	480,00 €/Pc		




FREESTYLE

SIZES cm		box	pl
100x300	200,00 €/Sq mt		box 20 loose pc
		sq mt 3 per pc kg 23,40	sq mt 60 kg 468
	600,00 €/Pc		




SKETCH (A-SX)



SKETCH (A)



SKETCH (B)




SKETCH (B-DX)

SIZES cm		box	pl
100x300	200,00 €/Sq mt		box 20 loose pc
		sq mt 3 per pc kg 23,40	sq mt 60 kg 468
	600,00 €/Pc		



FRAME (A)




FRAME (B)



FRAME (C)



FRAME (D)

SIZES cm		box	pl
100x300	200,00 €/Sq mt		box 20 loose pc
		sq mt 3 per pc kg 23,40	sq mt 60 kg 468
	600,00 €/Pc		



ZEN (A)



ZEN (B)

SIZES cm		box	pl
100x300	200,00 €/Sq mt		box 20 loose pc
		sq mt 3 per pc kg 23,40	sq mt 60 kg 468
	600,00 €/Pc		



SCRIPT (A)



SCRIPT (B)

SIZES cm

100x300 **200,00**

€/Sq mt

600,00

€/Pc

box

pl

box 20

loose pc


sq mt 3

per pc


sq mt 60

kg 23,40


kg 468



DREAM (A)



DREAM (B)



DREAM (C)

SIZES cm

100x300 **200,00**

€/Sq mt

600,00

€/Pc

box

pl

box 20

loose pc

sq mt 3

per pc


sq mt 60

kg 23,40

kg 468



JUNGLE (A)



JUNGLE (B)



JUNGLE (C)

SIZES cm

100x300 **200,00**

€/Sq mt

600,00

€/Pc

box

pl

box 20

loose pc

sq mt 3

per pc

sq mt 60

kg 23,40


kg 468



COLOR BALLET (A)



COLOR BALLET (B)



COLOR BALLET (C)

SIZES cm

100x300 **200,00**

€/Sq mt

600,00

€/Pc

box

pl

box 20

loose pc

sq mt 3

per pc


sq mt 60

kg 23,40


kg 468



LOTUS (A)



LOTUS (B)



LOTUS (C)

SIZES cm

100x300 **200,00**

€/Sq mt

600,00

€/Pc

box

pl

box 20

loose pc

sq mt 3

per pc


sq mt 60

kg 23,40


kg 468



VENICE (A)



VENICE (B)



VENICE (C)

SIZES cm

100x300 **200,00**

€/Sq mt

600,00

€/Pc

box

pl

box 20

loose pc

sq mt 3


per pc

sq mt 60

kg 23,40

kg 468

kerlite 3plus



DAMASK (A)



DAMASK (B)


SIZES cm

50x100




200,00
€/Sq mt

box	pl
pc 2 (A+B)	box 30
sq mt 1	sq mt 30
kg 7,8	kg 234



FOLIAGE (A)



FOLIAGE (B)


SIZES cm

50x100




200,00
€/Sq mt

box	pl
pc 2 (A+B)	box 30
sq mt 1	sq mt 30
kg 7,8	kg 234



PRINTEMPS (A)



PRINTEMPS (B)


SIZES cm

50x100



200,00
€/Sq mt

box	pl
pc 2 (A+B)	box 30
sq mt 1	sq mt 30
kg 7,8	kg 234



BLANC


SIZES cm

50x100




200,00
€/Sq mt


box	pl
pc 2	box 30
sq mt 1	sq mt 30
kg 7,8	kg 234



FLEUR (A)



FLEUR (B)



FLEUR (C)



FLEUR (D)



FLEUR (E)



PLUME (A)



PLUME (B)



PLUME (C)



PLUME (D)



PLUME (E)

SIZES cm

50x100



200,00
€/Sq mt


box	pl
pc 2	box 30
sq mt 1	sq mt 30
kg 7,8	kg 234

kerlite 6plus
P R () T E C T



ATLANTIC




BOREAL




TROPICAL



TEAK




EBONY


SIZES cm			SOFT	box	pl
30x240		€/Sq mt	90,50	sq mt 0,72 per pc kg 11,20	box 54 loose pc sq mt 38,88 kg 604,8
20x120		€/Sq mt	82,00	pc 3 sq mt 0,72 kg 11,20	box 75 sq mt 54 kg 840

kerlite 6plus
P R () T E C T



ARDEN



GROVE



WALDEN

SIZES cm			WILD	box	pl
30x240		€/Sq mt	83,00	sq mt 0,72 per pc kg 11,20	box 54 loose pc sq mt 38,88 kg 604,8
20x120		€/Sq mt	74,00	pc 3 sq mt 0,72 kg 11,20	box 75 sq mt 54 kg 840

14mm

PR () TECT



DOT-30




DOT-50



DOT-70

SIZES cm			NATURALE RETT.	SATINATA RETT.	box	pl
60x120		€/Sq mt	72,50	94,00	pc 1 sq mt 0,72 kg 23,00	box 40 sq mt 28,80 kg 980
90x90		€/Sq mt	72,50	89,50	pc 1 sq mt 0,81 kg 25,20	box 32 sq mt 25,92 kg 805
60x60		€/Sq mt	59,50	71,50	pc 3 sq mt 1,08 kg 32,50	box 32 sq mt 34,56 kg 1040

SPECIAL PIECES cm			NATURALE RETT.	SATINATA RETT.	box	pl
90x7,2 th. 1,4		Skirting €/Lm	20,00	21,00	pc 13 lm 11,70 kg 26,00	box 30 lm 351 kg 780
60x7,2 th. 1,4		Skirting €/Lm	13,50	14,50	pc 9 lm 540 kg 14,58	box 40 lm 216 kg 583
120x34x4,5 th. 1,4	 	Step tread PLUS €/Pc	169,50	173,50	pc 1 kg 20,50	box 24 pc 24 kg 492
120x34x4,5 th. 1,4	 	Step tread PLUS right/left corner €/Pc	234,50	238,50	pc 1 kg 15,50	box 24 pc 24 kg 372

20mm


DOT-30



DOT-50



DOT-70


SIZE cm			NATURALE RETT.	box	pl
90x90		€/Sq mt	72,50	pc 1	box 30
				sq mt 0,81	sq mt 24,30
				kg 37,30	kg 1119
SPECIAL PIECES cm			NATURALE RETT.	box	pl
60x30 th. 2,0	 	Step tread straight edge with grooves and drip flap €/Pc	65,00	pc 1	box 100
				kg 8,125	kg 812
60x15 th. 2,0		Grill component €/Pc	75,00	pc 2	box 100
				kg 8	kg 800



TAPPETINO SILENT

box

MAT €/Sq mt **9,50** 10 Sq mt



SILICONE FILLER

box

SEALANT €/cartridge **12,50** 12 cartridges




Floor surface achievable with a FILLER cartridge (indicative values)

50x50	approximately 2 Sq mt
60x60	approximately 3 Sq mt
50x100	approximately 3 Sq mt
100x100	approximately 4 Sq mt
60x120	approximately 4 Sq mt
120x120	approximately 5 Sq mt
50x150	approximately 3 Sq mt
100x250	approximately 6 Sq mt
120x260	approximately 7 Sq mt
100x300	approximately 6 Sq mt
33x300	approximately 3 Sq mt
30x240	approximately 3 Sq mt
20x280	approximately 2 Sq mt


In case of need for different colors, FILLER sealant can be replaced by other acetic cross-linking silicones available on the market.

For more info: <https://www.cottodeste.it/soluzioni/kerlite-easy>



KERLITE LAYING FRAME

FRAME €/Pc **413,00** net price




SLAB CASE

CASE
100x300 - 33x300 - 100x250 €/Pc **79,00** net price

CASE
120x260 - 30x240 €/Pc **100,00** net price

The cost of the case used for Kerlite slabs in sizes 100x300, 33x300 and 100x250 will be invoiced only in case of orders of less than 15 Sq mt. The one for slabs in sizes 120x260 and 30x240 will be invoiced in case of orders of less than 25 Sq mt.



RACKS

for container's load of Kerlite slabs 6plus 120x120 and 120x260

RACKS
120x120 €/Pc **200,00** net price

RACKS
120x260 €/Pc **250,00** net price



K-BLADE

K-BLADE €/Pc **10,50** net price

TECHNICAL CHARACTERISTICS



EXTRA THICK
PORCELAIN
STONEWARE

SLIP RESISTANCE



TRANSITABILITY
Average
Value



According to: ISO 13006-G, EN 14411-G, ANSI A137.1 Bla UGL		DIN 51130	DIN 51097	ANSI A326.3	BCR-TOR-TUS	AS/NZS 4586	UNE ENV 12633	BS 7976-2	EN 1339
CADORE	Rett.	R10	B (A+B)	DCOF $\geq$ 0.42	$\mu > 0,40$		Clase 2		
LIMESTONE	Natural Rett.	R10	B (A+B)	DCOF $\geq$ 0.42	$\mu > 0,40$	P3	Clase 1	Ptv 36+wet (sl.96)	T7-U7
	Blazed Rett.	R11	C (A+B+C)	DCOF $\geq$ 0.42	$\mu > 0,40$		Clase 3		T7-U7
	Honed Rett.								T7-U7
LITHOS	Naturale Rett.	R10	B (A+B)	DCOF $\geq$ 0.42	$\mu > 0,40$	P3	Clase 2	Ptv 36+wet (sl.96)	T7-U7
	Lappata Rett.			DCOF $\geq$ 0.42			Clase 1		T7-U7
	Sabbiata Rett.	R11	B (A+B)	DCOF $\geq$ 0.42	$\mu > 0,40$	P3	Clase 3	Ptv 36+wet (sl.96)	T7-U7
	Grip Rett.	R12	C (A+B+C)	DCOF $\geq$ 0.42	$\mu > 0,40$	P4	Clase 3	Ptv 36+wet (sl.96 - sl.55)	T7-U7
SECRET STONE	Natural Rett.	R10	B (A+B)	DCOF $\geq$ 0.42	$\mu > 0,40$		Clase 2	Ptv 36+wet (sl.96)	T7-U7
	Honed Rett.			DCOF $\geq$ 0.42	$\mu > 0,40$		Clase 1		T7-U7
	Grip Rett.	R11	C (A+B+C)	DCOF $\geq$ 0.42	$\mu > 0,40$		Clase 3		T7-U7
STONEQUARTZ	Fiammata Rett.	R11	B (A+B)	DCOF $\geq$ 0.42	$\mu > 0,40$		Clase 2		T7-U7
X-BETON	Naturale Rett.	R11	C (A+B+C)	DCOF $\geq$ 0.42	$\mu > 0,40$	P4	Clase 3	Ptv 36+wet (sl.96)	T7-U7
	Satinata Rett.	R10	C (A+B+C)	DCOF $\geq$ 0.42	$\mu > 0,40$		Clase 2		T7-U7



ULTRA THICK
PORCELAIN
STONEWARE



According to: ISO 13006-G, EN 14411-G, ANSI A137.1 Bla UGL		DIN 51130	DIN 51097	ANSI A326.3	BCR-TOR-TUS	AS/NZS 4586	UNE ENV 12633	BS 7976-2	EN 1339
BLUESTONE EVOLUTION	Layé Rett.	R11	C (A+B+C)	DCOF $\geq$ 0.42	$\mu > 0,40$	P4	Clase3		U14
CLUNY	Layé Rett.	R11	C (A+B+C)	DCOF $\geq$ 0.42	$\mu > 0,40$	P4	Clase3		
LIMESTONE	Fiammata Rett.	R11	C (A+B+C)	DCOF $\geq$ 0.42	$\mu > 0,40$	P4	Clase3		
LITHOS	Bocciardata Rett.	R12	C (A+B+C)	DCOF $\geq$ 0.42	$\mu > 0,40$	P4	Clase3		
PIETRA D'ISEO	Bocciardata Rett.	R12	C (A+B+C)	DCOF $\geq$ 0.42	$\mu > 0,40$	P4	Clase3		
SECRET STONE	Bocciardata Rett.	R11	C (A+B+C)	DCOF $\geq$ 0.42	$\mu > 0,40$	P4	Clase3		
STONEQUARTZ	Fiammata Rett.	R11	C (A+B+C)	DCOF $\geq$ 0.42	$\mu > 0,40$	P4	Clase2		U14
X-BETON	Naturale Rett.	R11	C (A+B+C)	DCOF $\geq$ 0.42	$\mu > 0,40$	P4	Clase3		

BREAKING STRENGTH (S) Average Value		MODULUS OF RUPTURE Average Value	STAIN RESISTANCE	CHEMICAL RESISTANCE	DEEP ABRASION RESISTANCE Average Value	WATER ABSORPTION Average Value	FROST RESISTANCE	SHADE VARIATION	INFORMATION ABOUT CLEANING	
									TREAD MARK VISIBILITY*	CLEANING EASINESS**
ASTM C 648	ISO 10545-4	ISO 10545-4	ISO 10545-14	ISO 10545-13	ISO 10545-6	ISO 10545-3	ISO 10545-12	ANSI A137.1	COTTO D'ESTE METHOD	COTTO D'ESTE METHOD
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V4	A Baita, Bosco, Malga B Alpe	1
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	B	2
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	B	2
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	A	1
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	A Desert, Carbon B Moon, Stone	2
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	A Desert, Carbon B Moon, Stone	2
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	B	2
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	B	2
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	B	2
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	A	2
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	B	2
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V3 Artic, Oslo V4 Nordic, Bergen	B	2
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V3	B	2
1,364 lbf	6.080 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V3	A	2
										
ASTM C 648	ISO 10545-4	ISO 10545-4	ISO 10545-14	ISO 10545-13	ISO 10545-6	ISO 10545-3	ISO 10545-12	ANSI A137.1	COTTO D'ESTE METHOD	COTTO D'ESTE METHOD
2,800 lbf	13.600 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	B	2
2,800 lbf	13.600 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	B	2
2,800 lbf	13.600 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	B	2
2,800 lbf	13.600 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	B	2
2,800 lbf	13.600 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	B	2
2,800 lbf	13.600 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V2	B	2
2,800 lbf	13.600 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V3 Artic, Oslo V4 Nordic, Bergen	B	2
2,800 lbf	13.600 N	50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	143 mm ³	0,05%	RESISTANT	V3	B	2

* This classification specifies the visibility degree of the tread marks left on the floor after walking with shoes dirty of dust.
A - Tread mark not visible. **B** - Tread mark not very visible. **C** - Tread mark very visible. Recommended for residential environments only.

** The method consists in classifying the easiness grade in removing general dirt by manual cleaning with mild detergent.

Grade 1: Very easy, no resistance of the dirt, immediate removal. **Grade 2:** Easy, light resistance of the dirt, fast removal. **Grade 3:** Less easy, higher resistance of the dirt, slow removal. A strong detergent is recommended. Recommended for floor installation in residential areas only.

TECHNICAL CHARACTERISTICS



ULTRA THIN
PORCELAIN
STONEWARE
(Slab+fiberglass)



THIN
PORCELAIN
STONEWARE
(Slab+fiberglass)



THIN
PORCELAIN
STONEWARE
(Slab+fiberglass)

SLIP RESISTANCE



According to: ISO 13006-G, EN 14411-G, ANSI A137.3		Bla UGL	DIN 51130	DIN 51097	ANSI A326.3	BCR-TORTUS	UNE ENV 12633	BS 7976-2
BLACK-WHITE 3plus								
5plus	Silk - Glossy							
BUXY 3plus		R10		DCOF $\geq$ 0.42	$\mu > 0,40$	Clase 1		
CEMENT PROJECT 5plus	Work	R10		DCOF $\geq$ 0.42	$\mu > 0,40$	Clase 1		
5plus	Cem	R9		DCOF $\geq$ 0.42	$\mu > 0,40$			
CLUNY 3plus	Naturale	R9		DCOF $\geq$ 0.42	$\mu > 0,40$			
5plus	Layé	R10	B (A+B)	DCOF $\geq$ 0.42	$\mu > 0,40$	Clase 1		
ELEGANCE 5plus	Silk			DCOF $\geq$ 0.42				
EXEDRA 5plus	Glossy							
5plus	Silk			DCOF $\geq$ 0.42				
FOREST 5plus		R10	B (A+B)	DCOF $\geq$ 0.42	$\mu > 0,40$	Clase 1		
GRUNGE 6plus	Naturale	R10		DCOF $\geq$ 0.42	$\mu > 0,40$			
LIMESTONE 5plus	Natural	R10	B (A+B)	DCOF $\geq$ 0.42	$\mu > 0,40$	Clase 2	PTV.36+Wet (Slider 96)	
LITHOS 6plus	Naturale	R10		DCOF $\geq$ 0.42	$\mu > 0,40$	Clase 2		
	Soft					Clase 1		
MATERICA 5plus		R9		DCOF $\geq$ 0.42	$\mu > 0,40$			
METAL 5plus	Corten	R9		DCOF $\geq$ 0.42	$\mu > 0,40$			
	Iron			DCOF $\geq$ 0.42				
OVER 3plus	Naturale	R9		DCOF $\geq$ 0.42	$\mu > 0,40$			
	Soft							
PIETRA D'ISEO 6plus	Naturale	R10		DCOF $\geq$ 0.42	$\mu > 0,40$	Clase 1		
VANITY 6plus	Glossy							
	Touch							
WOODLAND 6plus	Soft	R9		DCOF $\geq$ 0.42	$\mu > 0,40$	Clase 1		
	Wild	R10	B (A+B)	DCOF $\geq$ 0.42	$\mu > 0,40$	Clase 2		
WONDERWALL 3plus Sintered with printed using ink-jet decorations.	Matrix - Ritmi							
WONDERWALL 3plus Bla GL Decorated using a new cold digital printing technology on Kerlite 3plus.	Freestyle - Sketch - Lotus - Script Venice - Color Ballet - Frame - Zen Dream - Jungle - Damask - Foliage Printemps - Blanc - Fleur - Plume Intended exclusively for the cladding of interior walls; do not use as flooring or to clad exterior spaces.							

MODULUS OF RUPTURE Average Value	STAIN RESISTANCE	CHEMICAL RESISTANCE	DEEP ABRASION RESISTANCE Average Value	WATER ABSORPTION Average Value	FROST RESISTANCE	SHADE VARIATION	INFORMATION ABOUT CLEANING	
							TREAD MARK VISIBILITY*	CLEANING EASINESS**
ISO 10545-4	ISO 10545-14	ISO 10545-13	ISO 10545-6	ISO 10545-3	ISO 10545-12	ANSI A137.1	COTTO D'ESTE METHOD	COTTO D'ESTE METHOD
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V1	B	2
50 N/mm ²	≥ 3 Glossy	LB-HB Glossy	COMPLIANT	0,1%	RESISTANT	V1	B	2
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	A Caramel, Perle, Noisette, Cendre B Corail Blanc, Amande	1
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	B	2
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	A	1
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	B	2
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	B	2
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	A V.Tornabuoni, V.Farini B V.Condotti, V.Montenap.	1 V.Tornabuoni, V.Farini 2 V.Condotti, V.Montenap.
50 N/mm ²	≥ 3	LB-HB	COMPLIANT	0,1%	RESISTANT	V2	B	2
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	B	2
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V3 Acero, Noce V4 Rovere	A Noce B Acero, Rovere	1 Noce 2 Acero, Rovere
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	A	1
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	B	2
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	A	2
50 N/mm ²	5 RESISTANT	LB-HB	COMPLIANT	0,1%	RESISTANT	V2	A Desert, Carbon B Moon, Stone	2
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V1	B Ardesia C Bianco, Avorio, Tortora	2
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V3	B	2
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	A	1
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	A	1
50 N/mm ²	≥ 3	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	B Road C Openspace, Loft, Office	2 Road 3 Openspace, Loft, Office
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	A	1
50 N/mm ²	≥ 3	LB-HB	COMPLIANT	0,1%	RESISTANT	V2	B	2
50 N/mm ²	≥ 3	LB-HB	COMPLIANT	0,1%	RESISTANT	V2	B	2
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V2	A	1
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V3	A	1
50 N/mm ²	5 RESISTANT	LA-HA RESISTANT	COMPLIANT	0,1%	RESISTANT	V1	A	1
50 N/mm ²	Class-5 resistance to food and beverage stains. Not resistant to iodine dye, methylene blue, or permanent marker.	LA-HB	This product's decoration is not scratch resistant to hard, sharp objects such as metal, stone, glass, and stoneware. Be extremely careful when handling the product during installation, making sure not to bump or slide tools or other sharp objects against the surface.	0,1%	RESISTANT	V1	Use water or generic neutral detergents or degreasers available over the counter in general stores. Do not use alcohol, acetone, or solvents in general.	

* This classification specifies the visibility degree of the tread marks left on the floor after walking with shoes dirty of dust.
A - Tread mark not visible. B - Tread mark not very visible. C - Tread mark very visible. Recommended for residential environments only.


** The method consists in classifying the easiness grade in removing general dirt by manual cleaning with mild detergent.
Grade 1: Very easy, no resistance of the dirt, immediate removal. **Grade 2:** Easy, light resistance of the dirt, fast removal. **Grade 3:** Less easy, higher resistance of the dirt, slow removal. A strong detergent is recommended. Recommended for floor installation in residential areas only.

P R () T E C T[®]

ANTIBATTERICO - ANTIMICROBIAL



DOP are available on the website www.cottodeste.it



Cotto d'Este, through Panariagroup Industrie Ceramiche S.p.A. holding, is a member of the U.S. Green Building Council and of the Italian Green Building Council.



Cotto d'Este products have a type III specific Environmental Product Declaration (EPD). This is certified by an independent third party according to EN 14025 and EN 15804 standards. Available on request.

UPEC CERTIFICATION

QB UPEC	MATERICA	STONEQUARTZ
U4 P4+ E3 C2		60x60 (14mm), 30x60
U4 P3 E3 C2	100x100	



FOLLOW US ON:



Certifications and Product Specifications:
cottodeste.it

COTTOD'ESTE® | LA
Nuove Superfici | BELLEZZA
IN
CERAMICA

Via Emilia Romagna, 31 41049 Sassuolo (MO) Italy
+39 0536 814 911 fax +39 0536 814 921
cottodeste.it - info@cottodeste.it
PANARIAGROUP INDUSTRIE CERAMICHE S.p.A.