

HANSA – ALWAYS THERE FOR YOU.

HANSA HEAD OFFICE
HANSA Armaturen GmbH
Sigmaringer Str. 107
70567 Stuttgart
Tel.: +49 711 1614 0
Fax: +49 711 1614 368
Customer Service Centre
Tel.: +49 711 1614 888
Fax: +49 711 1614 801
info@hansa.com

AQUAPUNKT

Rediscover water.
Visit us in Stuttgart.
www.aquapunkt.com

www.hansa.com



www.hansa.com/hansabluebox



a member of  Oasgroup

099 4809 100 0915/20 · Printed in Germany · Modifications and errors reserved



HANSABLUEBOX:
BETTER ALL
ROUND.



HANSABLUEBOX

WITH HANSAB**BLUEBOX**, YOU ARE NOT JUST INSTALLING A CONCEALED SYSTEM. YOU ARE INSTALLING SATISFACTION.



Decisions made when planning and installing a new bathroom have a lasting impact. For this reason, designing a bathroom is also a complex task that is best entrusted to a professional. Together with you, we not only provide products featuring quality craftsmanship. We also supply solutions that meet all customer expectations.

This applies in particular to concealed installations, which must function perfectly while hidden away for an entire product lifetime. The new HANSAB**BLUEBOX** lives up to this claim: as a guarantee for satisfaction – for you as a bathroom designer and for your customers.

HANSABLUEBOX: BETTER ALL ROUND.

HANSABLUEBOX is the completely re-developed standard system for concealed installations in the **HANSA|LIVING** and **HANSA|HOME** segments. Across all series, the system offers exemplary functions and features that affect and optimise the entire installation process: from the installation set to the function units and all the way to the trim kits. The fact that all components are perfectly matched offers you, the installer, maximum reassurance during the installation. HANSABLUEBOX is a complete package that gets everything right. HANSA all round. Better all round.



Optimised for installation:
Wide clearance between wall and connection

Flexible installation depth:
75 mm – 105 mm

Better safe than sorry:
Bolted function units with captive bolts

The best – in every product:
The ceramic **BLUESWITCH** diverter – pressure-indepen-
dent, easy to operate

**Can even be firmly fixed
on an uneven substrate:**
The **BLUECLICK** 6-point
concealed collar attachment

**Depth compensation without
cutting to length:**
Direct, precise and the perfect fit

Perfect on every substrate:
The ultra-flexible **BLUEFIX**
attachment system




Connect without problems:
4 x 1/2" (optional 4 x 3/4")
standard connections on the
rotationally symmetrical basic
unit

Ideal working conditions:
Support points for the spirit level,
central spine for marking dry wall
panels, cutting ribs

**Guaranteed in accordance
with DIN EN 1717:**
Type HD vacuum breaker with
minimised clearance of just 240 mm.
For greater flexibility.

The command centre:
Lever mixer and thermostat
with minimal projection

Just in case:
– Unique and standard
BLUETUNE alignment
option following installation
by +/- 3.5°
– Concealed collar extension
15 mm
– Reverse adapter cold/warm and
connections



Perfect on every substrate:
The ultra-flexible **BLUEFIX**
attachment system

Connect without problems:
4 x 1/2" (optional 4 x 3/4")
standard connections on the
rotationally symmetrical basic
unit

Ideal working conditions:
Support points for the spirit level,
central spine for marking dry wall
panels, cutting ribs

**Guaranteed in accordance
with DIN EN 1717:**
Type HD vacuum breaker with
minimised clearance of just 240 mm.
For greater flexibility.

The command centre:
Lever mixer and thermostat
with minimal projection

Just in case:
– Unique and standard
BLUETUNE alignment
option following installation
by +/- 3.5°
– Concealed collar extension
15 mm
– Reverse adapter cold/warm and
connections

Optimised for installation:
Wide clearance between wall and connection




Flexible installation depth:
75 mm – 105 mm

Better safe than sorry:
Bolted function units with captive bolts

The best – in every product:
The ceramic **BLUESWITCH** diverter – pressure-indepen-
dent, easy to operate

**Can even be firmly fixed
on an uneven substrate:**
The **BLUECLICK** 6-point
concealed collar attachment

**Depth compensation without
cutting to length:**
Direct, precise and the perfect fit



Perfect on every substrate:
The ultra-flexible **BLUEFIX**
attachment system

Connect without problems:
4 x 1/2" (optional 4 x 3/4")
standard connections on the
rotationally symmetrical basic
unit

Ideal working conditions:
Support points for the spirit level,
central spine for marking dry wall
panels, cutting ribs

**Guaranteed in accordance
with DIN EN 1717:**
Type HD vacuum breaker with
minimised clearance of just 240 mm.
For greater flexibility.

The command centre:
Lever mixer and thermostat
with minimal projection

Just in case:
– Unique and standard
BLUETUNE alignment
option following installation
by +/- 3.5°
– Concealed collar extension
15 mm
– Reverse adapter cold/warm and
connections

Since all HANSABLUEBOX components are perfectly matched, the assembly and installation process is optimized from start to finish. This gives all partners involved in the decision-making and assembly process the reassurance of working with the best system – and delivering the best possible result. For a basic unit that can be perfectly installed every time, for function units of consistent high quality, and for excep-
tionally designed trim kits:
HANSABLUEBOX. Better all round.

www.hansa.com/hansabluebox



UNIQUE PRODUCT ADVANTAGES:


HIGH QUALITY ALL ROUND.

Every HANSAB**BLUEBOX** is packed with the finest technology – such as the ceramic **BLUESWITCH** diverter. For the customer, it means greater convenience as standard: pressure-independent functionality, clear position and lasting ease of operation.
Good for you: the diverter is identical in all products.



SATISFACTION ALL ROUND.

Unique and standard detail on all HANSAB**BLUEBOX** trim kits with volume control/diverter: the **BLUETUNE** alignment option. Align the concealed collar and tile joint exactly parallel to one another – an option that you soon won't want to do without. For greater customer satisfaction, for greater expertise.




PROFESSIONAL ALL ROUND.

HANSAB**BLUEBOX** is 100 % designed for professionals – as can be seen from details such as the telescopic diverter connection. Connect the diverter on the trim kit to the function unit easily and reliably. Directly and without laborious cutting to length.




PROFESSIONAL ALL ROUND: YOU DECIDE WHAT GOES INTO THE WALL.

The central element in concealed systems is the basic unit. It acts as the interface to the building and must function reliably for the lifetime of a fitting. For this reason, we have designed the HANSAB**BLUEBOX** basic unit to be exceptionally robust, durable, and easy to install. Designed according to the "socket" principle, it is open to all future decisions with regard to function and design. Thanks to the separation of the function and the recessed body, long construction phases are also no longer a problem in economic terms.



Engineering of the highest standard: The HANSAB**BLUEBOX** universal basic unit offers a convenient 31 mm distance from the connection to the wall and extensive freedom of movement of 75 – 105 mm in terms of installation depth.



HANSAB**BLUEBOX** is ideally suited for all installation systems.



More information on how to install the HANSAB**BLUEBOX**.


The ultra-flexible **BLUEFIX** system makes it possible: There is no substrate to which the HANSAB**BLUEBOX** cannot be perfectly attached!



Support points for the spirit level, the spine for marking dry wall panels and cutting ribs to guide the blade: With carefully thought out details, HANSAB**BLUEBOX** creates perfect working conditions in every installation phase.



The correct installation position every time: The HANSAB**BLUEBOX** basic unit made of brass that is particularly resistant to dezincification is rotationally symmetric and offers 1/2" or 3/4" connections (90° or 180° rotation).



HIGH QUALITY ALL ROUND: QUALITY DOWN TO THE FINEST DETAIL.

Between the construction phase and the point at which the design of visible parts is decided, the function of the fittings is specified. HANSAB**BLUEBOX** perfectly reconciles the wishes of the end customer with the requirements of the installer. Safe installation, reliable functionality, lasting ease of use and – just in case – minimum maintenance costs: You can recommend HANSAB**BLUEBOX** without hesitation.

Unique: All function units with diverter and/or volume control are equipped with the ceramic **BLUESWITCH** diverter, which ensures pressure-independent operation and a clear position.

Perfect for your customers: They receive top quality and maximum convenience.

Perfect for you: Just one function element incorporates the diverter and volume control.

The bolted function units with captive bolts offer maximum safety during installation.



The proven control cartridges for the single-lever mixer and the new HANSAB**BLUEBOX** thermostats with a max. installation height of 94 mm are not only functional, but also particularly convenient thanks to the two operating levels.



The installation standards specified by DIN EN 1717 for remote bathtub spouts are strict. The HANSAB**BLUEBOX** vacuum breaker fulfils these at an extremely convenient installation height of 240 mm.

FLEXIBLE ALL ROUND: LETTING YOU PROVIDE PERFECTION.

After all, a professional installation system also includes professional trim kit installation. With **HANSABLUEBOX**, you can be sure that the bathroom your customers dream about will actually become their dream bathroom. The system ensures that your expectations of a perfect end result will be as fully satisfied as those of your customers – even if not everything has gone to plan beforehand. As your professional partner, HANSA works together with you to ensure a successful handover and 100 % satisfaction for everyone involved.



The new **BLUECLICK** concealed collar holder can easily be combined with the basic unit and attaches the concealed collars securely to the wall by means of six positive-locking receptacles: without screws, strong, reversible.



Automatically finds its way: The telescopic connection to the diverter can be mounted directly and neatly without awkward cutting to length.



More information about **HANSABLUEBOX** final assembly.

Size, design, and function perfectly balanced: The new **HANSA|LIVING**-concealed collars adhere to the **HANSA X/O** principle, providing much greater freedom when it comes to bathroom design. The concealed collars are mounted without screws. As a result, the high-quality chrome metal surfaces look even more elegant. The intuitive operation offers enhanced comfort.



EXCLUSIVE WITH THE HANSABLUEBOX:

The standard **BLUETUNE** function allows for adjustment of the concealed collar by up to 3.5° in every direction during the final installation stage. Adapters are also available for reversed supply lines or outflows. Achieving perfection without compromise has never been easier.



It remains clean, non-slip, yet virtually invisible: Quality of detail on the safety valve underneath



More information about the unique **BLUETUNE** function.

QUICK, CLEAN, SAFE: THE INSTALLATION

The installation of the HANSABLUEBOX can be planned and implemented across all disciplines. On all substrates, in all installation systems and installation situations.



HANSABLUEBOX is easy to attach and align in installation systems.



For directly installations, the use of the assembly rail guarantees maximum precision.



Thanks to **BLUEFIX**, HANSABLUEBOX can be fitted to the exposed wall-mounting without difficulty.



Perfect economy: Only low investment costs are incurred during the construction phase.



The sealing concealed collar supplied – for sealing that complies with standards.



The HANSABLUEBOX can be cut to length easily and precisely with the help of guide ribs.



The **BLUECLICK** concealed collar attachment provides the perfect grip for the concealed collar even on uneven substrates.



The benefit to you: straightforward mounting. The benefit to your customers: perfect looks, exceptional ease of use.



Unique: The **BLUE TUNE** angle adjustment enables subsequent corrections and adjustments, e.g. to the gap alignment.



"Better all round" also refers first and foremost to the qualities of the HANSABLUEBOX that will impress you during installation – from installation to sealing all the way to angle adjustments. You can be sure of completing the installation easily, quickly, and safely. Just as you would expect from a perfect concealed system and from HANSA, the partner to sanitary professionals.

The key to your success – and a guarantee of satisfied customers: the new HANSABLUEBOX.

HANSABLUEBOX

AT A GLANCE

THE OUTSTANDING ADVANTAGES OF THE HANSABLUEBOX

The best – in every product:

The ceramic **BLUESWITCH** diverter – pressure-independent, easy to operate

Unique:

Standard **BLUETUNE** option for alignment of FMS with volume control/diverter by +/- 3.5° after installation

Depth compensation without cutting to length:

The telescopic diverter – direct, precise, and made to fit

Better safe than sorry:

Bolted function units with captive bolts

Securely attached anywhere:

The **BLUECLICK** 6-point concealed collar attachment

Guaranteed according to standards:

HD vacuum breaker with reduced minimum clearance of just 240 mm.
For greater flexibility.

Perfect on every substrate:

The ultra-flexible **BLUEFIX** attachment system

Optimised for installation:

Wide clearance between wall and connection as well as flexible installation depth

Just in case (optional):

- Extension set 15 mm
- Reverse adapter cold/warm and connections
- Concealed collars extension set 15 mm
- Sink set

Ideal working conditions:

Support points for the spirit level, central spine for marking dry wall panels, cutting ribs



In 2014, readers of "markt intern", the business information service for German plumbing specialists, voted HANSA the "No. 1 specialist trade partner" in the "performance report for sanitary fittings" – for the 19th time in succession!



HANSA is a manufacturer partner in the "Leistungsverbund Handwerker-marke" (association of service providers issued with the HVAC trade seal of quality) together with the German Sanitation, Heating and Air Conditioning Association (ZVSHK) and the specialist sanitary wholesale sector.

* Additional information can be found at www.markt-intern.de



Basic units		 8000 0000 (G 1/2 without volume control) 8001 0000 (G 3/4 with integrated stop valve)							
Function units		Single-lever mixer				Thermostat mixer			
		 3.5	 4.8	 4.8					
HANSA LIVING		HANSALOFT 8773 9003  8772 9003  8772 3003*  8762 9003  8760 9003  8760 3003* 							
		HANSADESIGNO 8110 9583  8111 9583  8111 3583*  8110 9573  8111 9573  8111 3573* 							
		HANSALIGNA 8387 9503  8385 9503  8385 3503*  8387 9513  8385 9513  8385 3513* 				8113 9552 	8114 9552  8114 3552* 	8866 9501 	
		HANSASTECLA 8785 9041  8784 9041  8784 3041*  8785 9051  8784 9051  8784 3051* 							
		HANSARONDA 8386 9573  8384 9573  8384 3573*  8386 9583  8384 9583  8384 3583* 							
HANSA HOME		HANSAFARM 8993 9003  8992 9003  8992 3003* 				8185 9083 	8184 9083  8184 3083* 		
		HANSADISC 8187 9074  8186 9074  8186 3074* 				8185 9046 			
		HANSATWIST 8985 9085  8984 9083  8984 3083*  8984 9085  8984 3085* 				8147 9073 	8146 9073  8146 3073 		
		HANSAVANTIS 8261 9077  8260 9073  8260 9077  8261 9073  8260 3077* 				8147 9076 			
		HANSAPINTO 8527 9103  8526 9103  8528 3003* 							
		HANSAPRIMO 8991 9003  8990 9003  8990 3003* 							
		HANSAPOLO 8061 9073  8060 9073  8062 3073* 							
HANSA ELECTRONIC	To complement the HANSASENSEtION electronic fittings, we recommend using the HANSABLUEBOX thermostat variants.				HANSAFIT 	HANSALANO 	HANSACONCERTO 		