

spa@home
export price list

2017
2017

export price list - € VAT not included

Updated product charts available:
www.teuco.com
(download/technical catalogue section)

Teuco S.p.A.
Via Virgilio Guzzini, 2
62010 Montelupone (MC) - Italy
P. 0733-2201
F. 0733-220391
www.teuco.com
teuco@teuco.it



teuco

COLOURS
AND MATERIALS

SORGENTE BATHTUB

Shell



White




Pearl grey (U)

Visible parts



White



Chrome (N)

Natural Stone covering



Slate grey (M1)



Pierre gris (M2)



Cognac (M3)



Absolut black (M4)

Duralight




Matt white (A)

MINI-POOLS

Shell



White (A)



Crystal Grey (I)



Cinnabar (2)



Midnight Opal (5)



Azurite (3)



Silver White Marble (1)

Synthetic panelling



Grey




Mahogany




Dark Brown

Laminate panelling



Powder Pink



Mocha

Jets and visible parts



White (A)



Grey (S)



Chrome (N)*

* Internal parts of jets and skimmer are grey. Not available with optional AWT.



Cheers jets



Commercial jets

Cushions



Grey (polyurethane)

Cushions and hatch upholstered with fabric



Beige Damask



Dove-grey




Marron Glacé

Headrest



Grey

Insulating cover



Dark brown



Cloud grey

Summer cover



Sand

Winter protective cover



Grey

Basic access steps



Grey



Mahogany



Dark Brown


Premium access steps



Grey



Mahogany



Dark Brown

Colours may not appear in photographs exactly as they do in reality.
Data and specifications indicated in the present price list are not binding on the company: Teuco S.p.A. reserves the right to make any changes without prior notice or any obligation to update.

Spa@Home

Finnish sauna

Steam system

Sorgente bathtub

Mini-pools

Mini-pools accessories

General terms of sale



teuco

finnish sauna

ARJA

FS3	150x100	page 7
FS4	180x120	page 7
FS5	200x150	page 9
FS6	200x200	page 11



steam system

PASHA

configuration example	page 15
prefabricated structure	page 19
steam units	page 20
light xxl shower panel	page 25
doors and windows	page 26
interior furnishings	page 27



sorgente bathtub

S01 240x156 page 31



mini-pools

SEASIDE

640 258x225 page 35
641 220x200 page 37

CHEERS

CH1 200x200 page 39
CH2 220x220 page 41
CH3 230x230 page 43
CH4 220x160 page 45

CLASSIC

CL1 206x198 page 47
CL2 ø 217 page 48
CL3 221x221 page 49
CL4 204x197 page 50
CL5 160x223 page 51
CL6 206x237 page 52
629 196x147 page 53

MIRROR

630 235x300 page 55
620 ø 238 page 57

COMMERCIAL

Team spa C36 356x268 page 59
Team spa C40 403x268 page 60
Octagon C20 199x199 page 61
Octagon C24 240x240 page 62
Octagon C27 270x270 page 63
Round C22 ø 217 page 65
Round C25 ø 250 page 66
Round C30 ø 300 page 67
Round C28 ø 276 page 68
Spa-Pack page 69

ACCESSORIES

page 70





Finnish sauna



SPECIAL PLUS BioSauna

The Biosauna is an evolution of the traditional Finnish sauna; it envisages lower temperatures, of around 50°, while a purpose-designed mechanism adjusts the temperature and the steam production in order to achieve a hot and humid environment very much like that of a steam room.

FINNISH SAUNA

Arja

150x100 cm


180x120 cm




Arja 150x100 / 180x120

150x100 H210

FRONT DOOR




right-hand version




left-hand version

180x120 H210

FRONT DOOR



right-hand version



left-hand version

FEATURES

Finnish sauna

BioSauna function (indication of the relative humidity on the control panel display)

Stove power rating: 3 kW

Structure:

- Plywood panels with insulating rock wool cavity
- 60 mm thick walls surfaced with cedar-wood
- 8 mm thick glass door.

Standard accessories:

- Electronic control panel with display
- Stove, pail and ladle, thermo-hygrometer, hourglass
- Bench and interior décor in Abachi heat-treated wood
- LED Lighting and Cromoexperience

EU regulations compliant electrical system.

Timber sourced from certified eco-friendly plantations

	code	€
150x100		
FRONT DOOR		
right-hand version	FS3 - S3 4 -	10.503,00
left-hand version	FS3 - S3 6 -	10.503,00
180x120		
FRONT DOOR		
right-hand version	FS4 - S3 4 -	12.148,00
left-hand version	FS4 - S3 6 -	12.148,00


FINNISH SAUNA

Arja 200x150 cm




Arja 200x150 H210

FRONT DOOR



200

right-hand version




150

200


left-hand version

FRONT DOOR AND SIDE WINDOW



200

right-hand version



150

200

left-hand version

FEATURES

Finnish sauna

BioSauna function (indication of the relative humidity on the control panel display)

Stove power rating: 4,5 kW

Structure:

- Plywood panels with insulating rock wool cavity
- 60 mm thick walls surfaced with cedar-wood
- 8 mm thick glass door. 8 mm thick side window

Standard accessories:

- Electronic control panel with display
- Stove, pail and ladle, thermo-hygrometer, hourglass
- Benches and interior décor in Abachi heat-treated wood
- LED Lighting and Cromoexperience

EU regulations compliant electrical system.

Timber sourced from certified eco-friendly plantations

	code	€
FRONT DOOR		
right-hand version	FS5 - S5 4 -	14.482,00
left-hand version	FS5 - S5 6 -	14.482,00
FRONT DOOR AND SIDE WINDOW		
right-hand version	FS5 V S5 4 -	15.861,00
left-hand version	FS5 V S5 6 -	15.861,00


FINNISH SAUNA

Arja 200x200 cm




Arja 200x200 H210

FRONT DOOR



FRONT DOOR AND SIDE WINDOW



FEATURES

Finnish sauna

BioSauna function (indication of the relative humidity on the control panel display)

Stove power rating: 6 kW

Structure:

- Plywood panels with insulating rock wool cavity
- 60 mm thick walls surfaced with cedar-wood
- 8 mm thick glass door. 8 mm thick side window

Standard accessories:

- Electronic control panel with display
- Stove, pail and ladle, thermo-hygrometer, hourglass
- Benches and interior décor in Abachi heat-treated wood
- LED Lighting and Cromoexperience

EU regulations compliant electrical system.

Timber sourced from certified eco-friendly plantations

	code	€
FRONT DOOR		
right-hand version	FS6 - S6 4 -	16.179,00
left-hand version	FS6 - S6 6 -	16.179,00
FRONT DOOR AND SIDE WINDOW		
right-hand version	FS6 V S6 4 -	17.558,00
left-hand version	FS6 V S6 6 -	17.558,00



STEAM SYSTEM

Pasha

ANGELETTI RUZZA DESIGN



STEAM SYSTEM

Pasha 170x110 cm



Pasha - configuration example 170x110 cm

This page is intended to represent a suggested configuration.

For the correct evaluation of the possible variants and for any orders, always refer to the relevant pages in the price list.

	code	€
BOILER		
power rating 6.0 kW - unit volume (MAX cubic metres) 6.5	HA14 - - - -	2.356,00
Compulsory boiler pre-installation kit. To be ordered separately	K190 - - - -	308,00
Stainless steel steam generator: Automatic end-of-cycle rinsing system - "Intelligent" power adjustment - Home automation system interface capability - Designed to receive external alarms - Time-controllable supply to an external appliance up to 200 W max - Controls up to two chromotherapy ceiling lights - Operates together with the circulating fan with integrated temperature sensor and with steam outlet with integrated essential oil dispenser		

CONTROL PANELS		
Waterproof TOUCH technology control panel and TOUCH technology secondary control panel	K204 - - - -	796,00
Pre-installation kit compulsory. To be ordered separately	K195 - - - -	84,00
Waterproof TOUCH technology control panel, icon-based menu, high-visibility backlit display, daily and weekly programming settings, polished stainless steel frame and TOUCH technology secondary control panel controlling the main functions, installing it internally or externally on the basis of user requirements		

CROMOEXPERIENCE - AUDIO		
Chromotherapy ceiling light featuring RGB LED technology	K205 - - 1 -	2.462,00
Pre-installation kit compulsory. To be ordered separately	K196 - - - -	12,00
Chromotherapy ceiling light featuring RGB LED technology: 4 automatic programmes - 9 fixed colours and white light - integrated audio system with high-quality speakers - suitable for "marine use" and HI-FI stereo amplification - Bluetooth system - decorative Duralight frame		


DOOR AND WINDOW		
Door L 1475 - glazed corner L 907	HB14 - - - -	3.395,00

INTERIOR FURNISHINGS		
Wall-mounted corner wash basin	HL06 - - - -	626,00
Cold water tap	RH01 - - - -	202,00
Décor siphon	K146 - - - -	96,00
Multiple seat	K143 - - - -	1.421,00

TOTAL € 11.758,00

The price includes: all parts required to build the finished product.

It does not include: construction works, assembly, insulation and tiling, to be carried out on site.



- 1. Cromoexperience with Bluetooth audio
- 2. Touch control panel
- 3. Basic control panel
- 4. Steam generator
- 5. Recirculation

- 6. Steam outlet with essential oil dispenser
- 7. Door
- 8. Window



- Electrical connection
- Steam
- Air circulation connection
- Water inlet and outlet and rinsing
- Electrical power supply



Pasha - Prefabricated structure



Prefabricated cabin for Turkish bath, processed and shaped, complete with levelling compound on both sides (interior + exterior), plus two perimeter fillers to bridge the gap between the ceiling of the structure and the ceiling of the room (up to a maximum height of 270 cm).



The cabin will be made up of prefabricated modular high density EPS foam panels, 8 cm thick, previously shaped, with fittings.

The prefabricated structure is rectangular shaped, and it includes all the perimeter walls and is designed to accommodate two apertures.



- Components supplied: walls and sloping roof, designed to accommodate 1 door, 1 window and accessories for the operation of the Turkish bath, mesh for the levelling of adjacent panels and polyurethane glue. Corner tall unit included, designed to house specific Turkish bath components, the steam outlet and the recirculating fan.
- Floor: not supplied since the cabin is designed to be glued straight onto the concrete. Always arrange drainage flooring and a drain system.
- Installation: installation requires a small quantity of levelling compound and a waterproofing treatment (not supplied).
- Tiling: the cabin is supplied with levelling compound and is suitable for the subsequent application of mosaics or tiles measuring between 1 and 15 mm in thickness. The ceiling can be tiled with or painted with humidity-proof products.
- Includes aluminium plate inset beneath the levelling along the perimeter of the door and window.
- Includes the assembly kit consisting of the correct quantity of plastic disks and polyurethane glue.
- **Due to its construction, the prefabricated structure does not require the thermal insulation kit K135 - K136 - K137 (on page 25).**
- Every structure is built according to the diagram provided by the customer to adapt to the actual space available. See prices below.
- For structures with dimensions not covered by the four types envisaged herein, feasibility and pricing are available upon request.

Pasha Prefabricated structure



Insulation (as an alternative to the prefabricated structure)





	code	€
Up to 132x124x240 cm exterior	HP01 - - - -	4.594,00



Up to 132x172x240 cm exterior	HP02 - - - -	5.082,00
-------------------------------	--------------	----------




Up to 132x220x240 cm exterior	HP03 - - - -	5.623,00
-------------------------------	--------------	----------



Up to 180x220x240 cm exterior	HP04 - - - -	6.662,00
-------------------------------	--------------	----------

Due to its construction, the prefabricated structure does not require the thermal insulation kit K135 - K136 - K137.




INSULATION KIT (as an alternative to the prefabricated structure)

Insulation kit to cover up to 12 m ² (16 panels measuring 120x60 cm)	K135 - - - -	1.708,00
Insulation kit to cover up to 15 m ² (20 panels measuring 125x60 cm)	K136 - - - -	2.048,00
Insulation kit to cover up to 21 m ² (28 panels measuring 125x60 cm)	K137 - - - -	2.833,00


FEATURES

3 cm thick - sandwich panels with extruded polystyrene core - tiling mortar on both sides with fibreglass mesh reinforcement - eco-friendly mineral adhesive - mechanical fixings - polypropylene sealing tape - eco-friendly waterproofer

Pasha - 2,5 - 3 - 4,5 - 6 - 9 kW steam units




HA 11
HA 12
HA 13
HA 14
HA 15



K205
K206



K207



- A Steam generator
- B Cromoexperience with Bluetooth audio
- C Cromoexperience
- D Recirculation
- E Touch control panel
- F Basic control panel
- G Steam outlet with integrated essential oil dispenser

code

€

BOILER

power rating 2.5 kW - unit volume (MAX cubic metres) 2.3	HA11 - - - -	2.356,00
power rating 3.0 kW - unit volume (MAX cubic metres) 3.5	HA12 - - - -	2.356,00
power rating 4.5 kW - unit volume (MAX cubic metres) 4.5	HA13 - - - -	2.356,00
power rating 6 kW - unit volume (MAX cubic metres) 6.5	HA14 - - - -	2.356,00
power rating 9 kW - unit volume (MAX cubic metres) 9.5	HA15 - - - -	2.356,00

Compulsory boiler pre-installation kit.

To be ordered separately.

K190 - - - - 308,00

Stainless steel steam generator:

Automatic end-of-cycle rinsing system - "Intelligent" power adjustment - Home automation system interface capability - Designed to receive external alarms - Time-controllable supply to an external appliance up to 200 W max - Controls up to two chromotherapy ceiling lights - Operates together with the circulating fan with integrated temperature sensor and with steam outlet with integrated essential oil dispenser

CONTROL PANELS (one version compulsory)

Waterproof TOUCH technology control panel	K203 - - - -	626,00
Pre-installation kit compulsory. To be ordered separately	K194 - - - -	34,00

Waterproof TOUCH technology control panel, icon-based menu, high-visibility backlit display, daily and weekly programming settings, polished stainless steel frame.

Waterproof TOUCH technology control panel and TOUCH technology secondary control panel	K204 - - - -	796,00
Pre-installation kit compulsory. To be ordered separately	K195 - - - -	84,00

Waterproof TOUCH technology control panel, icon-based menu, high-visibility backlit display, daily and weekly programming settings, polished stainless steel frame and TOUCH technology secondary control panel controlling the main functions, installing it internally or externally on the basis of user requirements

OPTIONAL

Extension cable for control panel	K119 - - - -	45,00
-----------------------------------	--------------	-------

(if the K203 is positioned more than 4 metres away from the steam generator)

CROMOEXPERIENCE - AUDIO (one version compulsory)

Chromotherapy ceiling light featuring RGB LED technology	K205 - - - -	2.462,00
Pre-installation kit compulsory. To be ordered separately.	K196 - - - -	12,00

Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light - integrated audio system with high-quality speakers - suitable for "marine use" and HI-FI stereo amplification - Bluetooth system - decorative Duralight frame. **For use with at most one K206 or K207 ceiling light**

Chromotherapy ceiling light featuring RGB LED technology	K206 - - 1 -	1.145,00
Pre-installation kit compulsory. To be ordered separately.	K196 - - - -	12,00

Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light - decorative Duralight frame
Without the K205, up to 2 units can be installed, specifying the quantity in the penultimate field of the code.

Chromotherapy ceiling light featuring RGB LED technology	K207 - - 1 -	827,00
Pre-installation kit compulsory. To be ordered separately.	K197 - - - -	12,00

Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light - polished stainless steel frame
Without the K205, up to 2 units can be installed, specifying the quantity in the penultimate field of the code.

OPTIONAL

Supplementary 3-metre air pipe	K122- - - -	24,00
--------------------------------	-------------	-------

Pasha - 12 - 18 kW steam units

code

€

BOILER

power rating 12 kW - unit volume (MAX cubic metres) 16	HA16 - - - -	5,040,00
power rating 18 kW - unit volume (MAX cubic metres) 21	HA17 - - - -	5,040,00

Compulsory boiler pre-installation kit.
To be ordered separately.

K191 - - - - 308,00

Stainless steel steam generator:
Automatic end-of-cycle rinsing system - "Intelligent" power adjustment - Home automation system interface capability - Designed to receive external alarms - Time-controllable supply to 2 external appliances up to 200 W max - Controls up to four chromotherapy ceiling lights - Operates together with two circulating fans with integrated temperature sensor and with two steam outlets with integrated essential oil dispenser

CONTROL PANELS (one version compulsory)

Waterproof TOUCH technology control panel	K203 - - - -	626,00
Pre-installation kit compulsory. To be ordered separately	K194 - - - -	34,00

Waterproof TOUCH technology control panel, icon-based menu, high-visibility backlit display, daily and weekly programming settings, polished stainless steel frame.

Waterproof TOUCH technology control panel and TOUCH technology secondary control panel	K204 - - - -	796,00
Pre-installation kit compulsory. To be ordered separately	K195 - - - -	84,00

Waterproof TOUCH technology control panel, icon-based menu, high-visibility backlit display, daily and weekly programming settings, polished stainless steel frame and TOUCH technology secondary control panel controlling the main functions, installing it internally or externally on the basis of user requirements

OPTIONAL

Extension cable for control panel	K119 - - - -	45,00
(if the K203 is positioned more than 4 metres away from the steam generator)		

CROMOEXPERIENCE - AUDIO (one version compulsory)

Chromotherapy ceiling light featuring RGB LED technology	K205 - - 1 -	2,462,00
Pre-installation kit compulsory. To be ordered separately.	K196 - - - -	12,00

Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light - integrated audio system with high-quality speakers - suitable for "marine use" and HI-FI stereo amplification - Bluetooth system - decorative Duralight frame. **For use with at most three K206 or K207 ceiling lights**

Chromotherapy ceiling light featuring RGB LED technology	K206 - - 1 -	1,145,00
Pre-installation kit compulsory. To be ordered separately.	K196 - - - -	12,00


Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light - decorative Duralight frame. **In combination with the K205, up to 3 units can be installed. Without the K205, up to 4 units can be installed, specifying the quantity in the penultimate field of the code.**

Chromotherapy ceiling light featuring RGB LED technology	K207 - - 1 -	827,00
Pre-installation kit compulsory. To be ordered separately.	K197 - - - -	12,00

Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light - polished stainless steel frame. **In combination with the K205, up to 3 units can be installed. Without the K205, up to 4 units can be installed, specifying the quantity in the penultimate field of the code.**


OPTIONAL

Supplementary 3-metre air pipe	K122 - - - -	24,00
--------------------------------	---------------------	-------



- A** Steam generator
- B** Cromoexperience with Bluetooth audio
- C** Cromoexperience
- D** Recirculation
- E** Touch control panel
- F** Basic control panel
- G** Steam outlet with integrated essential oil dispenser

Pasha - 27 kW steam units



HA 18

K205
K206

K207

K203

K204

- A** Steam generator
- B** Cromoexperience with Bluetooth audio
- C** Cromoexperience
- D** Recirculation
- E** Touch control panel
- F** Basic control panel
- G** Steam outlet with integrated essential oil dispenser

code

€

BOILER

power rating 27 kW - unit volume (MAX cubic metres) 32 **HA18 - - - -** 7.702,00

Compulsory boiler pre-installation kit.
To be ordered separately.

K192 - - - - 308,00

stainless steel steam generator:

Automatic end-of-cycle rinsing system - "Intelligent" power adjustment - Home automation system interface capability - Designed to receive external alarms - Time-controllable supply to 3 external appliances up to 200 W max - Controls up to six chromotherapy ceiling lights - Operates together with three circulating fans with integrated temperature sensor and with three steam outlets with integrated essential oil dispenser

CONTROL PANELS (one version compulsory)

Waterproof TOUCH technology control panel **K203 - - - -** 626,00

Pre-installation kit compulsory. To be ordered separately **K194 - - - -** 34,00

Waterproof TOUCH technology control panel, icon-based menu, high-visibility backlit display, daily and weekly programming settings, polished stainless steel frame.

Waterproof TOUCH technology control panel **K204 - - - -** 796,00

and TOUCH technology secondary control panel **K195 - - - -** 84,00

Pre-installation kit compulsory. To be ordered separately. Waterproof TOUCH technology control panel, icon-based menu, high-visibility backlit display, daily and weekly programming settings, polished stainless steel frame and TOUCH technology secondary control panel controlling the main functions, installing it internally or externally on the basis of user requirements

OPTIONAL

Extension cable for control panel **K119 - - - -** 45,00
(if the K203 is positioned more than 4 metres away from the steam generator)

CROMOEXPERIENCE - AUDIO (one version compulsory)

Chromotherapy ceiling light featuring RGB LED technology **K205 - - 1 -** 2.462,00

Pre-installation kit compulsory. To be ordered separately. **K196 - - - -** 12,00

Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light - integrated audio system with high-quality speakers - suitable for "marine use" and HI-FI stereo amplification - Bluetooth system - decorative Duralight frame. **For use with at most five K206 or K207 ceiling lights**

Chromotherapy ceiling light featuring RGB LED technology **K206 - - 1 -** 1.145,00

Pre-installation kit compulsory. To be ordered separately. **K196 - - - -** 12,00

Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light - decorative Duralight frame
In combination with the K205, up to 5 units can be installed.
Without the K205, up to 6 units can be installed, specifying the quantity in the penultimate field of the code.

Chromotherapy ceiling light featuring RGB LED technology **K207 - - 1 -** 827,00


Pre-installation kit compulsory. To be ordered separately. **K197 - - - -** 12,00

Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light - polished stainless steel frame
In combination with the K205, up to 5 units can be installed.
Without the K205, up to 6 units can be installed, specifying the quantity in the penultimate field of the code.

OPTIONAL

Supplementary 3-metre air pipe **K122 - - - -** 24,00

Pasha - 36 kW steam units



- A** Steam generator
- B** Cromoexperience with Bluetooth audio
- C** Cromoexperience
- D** Recirculation
- E** Touch control panel
- F** Basic control panel
- G** Steam outlet with integrated essential oil dispenser

code €

BOILER

power rating 36 kW - unit volume (MAX cubic metres) 44 **HA19 - - - -** 10.365,00

Compulsory boiler pre-installation kit.
To be ordered separately.

K193 - - - - 308,00

Stainless steel steam generator:
Automatic end-of-cycle rinsing system - "Intelligent" power adjustment - Home automation system interface capability - Designed to receive external alarms - Time-controllable supply to 4 external appliances up to 200 W max - Controls up to eight chromotherapy ceiling lights - Operates together with four circulating fans with integrated temperature sensor and with four steam outlets with integrated essential oil dispenser

CONTROL PANELS (one version compulsory)

Waterproof TOUCH technology control panel **K203 - - - -** 626,00

Pre-installation kit compulsory. To be ordered separately **K194 - - - -** 34,00

Waterproof TOUCH technology control panel, icon-based menu, high-visibility backlit display, daily and weekly programming settings, polished stainless steel frame.

Waterproof TOUCH technology control panel **K204 - - - -** 796,00

and TOUCH technology secondary control panel
Pre-installation kit compulsory. To be ordered separately **K195 - - - -** 84,00

Waterproof TOUCH technology control panel, icon-based menu, high-visibility backlit display, daily and weekly programming settings, polished stainless steel frame and TOUCH technology secondary control panel controlling the main functions, installing it internally or externally on the basis of user requirements

OPTIONAL

Extension cable for control panel **K119 - - - -** 45,00

(if the K203 is positioned more than 4 metres away from the steam generator)

CROMOEXPERIENCE - AUDIO (one version compulsory)

Chromotherapy ceiling light featuring RGB LED technology **K205 - - 1 -** 2.462,00

Pre-installation kit compulsory. To be ordered separately. **K196 - - - -** 12,00

Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light - integrated audio system with high-quality speakers - suitable for "marine use" and HI-FI stereo amplification - Bluetooth system - decorative Duralight frame. **For use with at most seven K206 or K207 ceiling lights**

Chromotherapy ceiling light featuring RGB LED technology **K206 - - 1 -** 1.145,00

Pre-installation kit compulsory. To be ordered separately. **K196 - - - -** 12,00

Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light - decorative Duralight frame
In combination with the K205, up to 7 units can be installed.

Without the K205, up to 8 units can be installed, specifying the quantity in the penultimate field of the code.

Chromotherapy ceiling light featuring RGB LED technology **K207 - - 1 -** 827,00

Pre-installation kit compulsory. To be ordered separately. **K197 - - - -** 12,00

Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light - polished stainless steel frame
In combination with the K205, up to 7 units can be installed.


Without the K205, up to 8 units can be installed, specifying the quantity in the penultimate field of the code.

OPTIONAL


Supplementary 3-metre air pipe **K122 - - - -** 24,00

STEAM SYSTEM


Light xxl shower panel - 200x62 cm




P553 S6 4D



P553 S6 6D



P554 S7 4D



P554 S7 6D

Light xxl shower panel

Functions	P553S	P554S
Hand shower with anti-limescale function on riser rail	●	●
High-flow thermostatic mixer tap, 4 on/off taps (*)	●	●
Multifunction (hand shower, vertical massage, waterfall effect, designed with outlet for central shower head)	●	●
Turkish bath	5,5 kW	6,5 kW
Aromatherapy oil dispenser	1	2
Air circulation and descaling	●	●

(*) = Multiple functions can be used simultaneously

COLOURS AND FINISHES: White Duralight A

	code	€
EQUIPPED DURALIGHT SHOWER PANEL WITH TURKISH BATH, BUILT-IN VERSION		
Panel with 5.5 kW Turkish bath, R/H hinge	P553 S6 4D	6.015,00
Panel with 5.5 kW Turkish bath, L/H hinge	P553 S6 6D	6.015,00
Panel with 6.5 kW Turkish bath, R/H hinge	P554 S7 4D	6.843,00
Panel with 6.5 kW Turkish bath, L/H hinge	P554 S7 6D	6.843,00
PRE-INSTALLATION KIT (compulsory)		
Including Turkish bath drainage system		
Pre-installation kit for built-in wall installation of the panel	K221 - - - -	361,00
For installation at the same time as the hydraulic system. To be ordered separately.		

OPTIONAL		
Cromoexperience control panel, panel-recessed	K177 - - - -	27,00
Compulsory when purchasing cromoexperience function		
Limescale remover for Turkish bath (10 boxes containing 6 filters each)	0930 - - - -	222,00

Can be combined with Cromoexperience-audio function

CROMOEXPERIENCE - AUDIO

Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light -
integrated audio system with high-quality speakers -
suitable for "marine use" and amplification - decorative Duralight frame -
Cromoexperience control panel

Chromotherapy ceiling light featuring RGB LED technology	K198 - - 1 -	2.462,00
Pre-installation kit compulsory. To be ordered separately.	K202 - - - -	12,00

CROMOEXPERIENCE

Chromotherapy ceiling light featuring RGB LED technology:
4 automatic programmes - 9 fixed colours and white light - polished stainless steel frame

Chromotherapy ceiling light featuring RGB LED technology	K200 - - 1 -	827,00
Pre-installation kit compulsory. To be ordered separately.	K208 - - - -	12,00




K198



K200

Pasha - doors and windows



code €


DOOR

Door L 650	HB06 - - - -	1.358,00
Door and fixed glass panel combination L 1050	HB07 - - - -	1.857,00
Door and fixed glass panel combination L 1500	HB08 - - - -	2.175,00

CUSTOMISATION

Door L from 650 to 1,000 - H from 1,900 to 2,000	HBP6 - - - -	1.888,00
Door and fixed glass panel combination L from 1050 to 1,800 - H from 1,900 to 2,000	HBP7 - - - -	2.981,00

Dimensions can be adjusted to the nearest cm.
In the door and fixed glass panel combination, the door dimensions are standard (535 mm), and the customisation is always carried out on the fixed side.



DOOR WITH GLAZED CORNER

DOOR L 1025

Door L 1025 Glazed corner L 457	HB11 - - - -	2.758,00
Door L 1025 Glazed corner L 907	HB12 - - - -	3.024,00

DOOR L 1475


Door L 1475 Glazed corner L 457	HB13 - - - -	3.077,00
Door L 1475 Glazed corner L 907	HB14 - - - -	3.395,00

CUSTOMISATION:

Feasibility assessment and price available upon request

FEATURES

Polished aluminium finish
Reversible (can open to the left or right)
Door aperture of 535 mm
6 mm thick tempered glass



WINDOWS

Window L = 450	HB09 - - - -	923,00
Window L = 900	HB10 - - - -	1.209,00

CUSTOMISATION


Window L from 450 to 1,400 - H from 1,900 to 2,000	HBP9 - - - -	1.719,00
---	---------------------	----------

Dimensions can be adjusted to the nearest cm.


FEATURES

Polished aluminium finish
6 mm thick tempered glass

Pasha - interior furnishings



HL02



HL04



HL06



RH01

WASH BASINS

Wall-mounted rectangular wash basin	HL01 - - - -	488,00
Wall-mounted rectangular wash basin with tap hole	HL02 - - - -	488,00
Sit-on corner wash basin	HL03 - - - -	1.295,00
Sit-on corner wash basin with tap hole	HL04 - - - -	1.295,00
Wall-mounted corner wash basin	HL05 - - - -	615,00
Wall-mounted corner wash basin with tap hole	HL06 - - - -	626,00

FEATURES


White Duralight material
Stainless steel frame

TAPS


Cold water tap	RH01 - - - -	202,00
Mixer tap	RH02 - - - -	212,00
Décor siphon	K146 - - - -	96,00

FEATURES


Polished steel finish



K143



K145



K144



K149

SEATS

Duralight multiple seat	K143 - - - -	1.421,00
Duralight individual seat	K144 - - - -	764,00
Duralight fold-down seat	K145 - - - -	562,00
Polyurethane fold-down seat	K149 - - - -	202,00

FEATURES

White Duralight for K143 - K144 - K145
Stainless steel frames for K143 - K144
Anodised aluminium frame for K145 - K149

N.B.: K145 and K149 cannot be installed in the Pasha prefabricated structure.



BATHTUB

Sorgente

LENCI DESIGN





BATHTUB

Sorgente s01 240x156 cm

HYDRO
SILENCE



Sorgente S01



Functions

S01

Hydrosilence system	●
Whirlpool jets	8
(Hydrosilence) recirculation system with central jet on the base of the tub	●
Water level check	●
Heater	●
Touch control panel with display	●
Remote control	●
Cromoexperience function	●
Cartridge filtration	●
Drain column with concealed overflow	●
Water outlet in the tub built into the handle	●
External covering in Natural Stone	○
Taps	○
Automatic filling	○
Manual water chemical treatment kit	○
Magnetic headrest	○
Anti-condensation cover	○
Water capacity (at overflow level)	530 l

○ = optional

COLOURS AND FINISHES: Shell: White - Visible parts: White
 Shell: Pearl grey - Visible parts: Chrome
 Covering caps interior: Matt black

€

	code	White	Pearl grey
Coverable tub with recirculation system, WHIRLPOOL, heater and Cromoexperience function	S01 - AB 0 -	15.023,00	15.627,00

code

€

OPTIONAL

COVERINGS

External covering in NATURAL STONE
 Colours: M1 - M2 - M3 - M4

RMS0 - - - -

6.992,00

TAPS

Chrome colour taps
 (pull-out hand shower with flexible hose, diverter)
 Automatic filling

RS01 - - - -

764,00

6035 - - - -

1.083,00

ACCESSORIES

2 headrests
 anti-condensation cover

6033 - - - -

446,00

6034 - - - -

584,00

EXPENDABLE MATERIALS

2 cartridge filters
 Oxygen-based manual chemical treatment kit
 Cleaning Kit (Natural stone care)

6036 - - - -

212,00

6037 - - - -

96,00

6008 - - - -

170,00

SANITISING SOLUTION

Sanitising solution (pack of six 250 cc bottles)

0906 - - - -

64,00



Mini-pools






MINI-POOLS


Seaside 640 258x225 cm

HYDRO
SILENCE

TALOCCI DESIGN



built-in version



panelled version

Seaside 640

Functions	640
Hydrosilence system	●
Roto Jet	2 jets
Stream Jet	14 jets
Directional jet	2 jets
Directional Stream jet	10 jets
Roto Stream jet	8 jets
Ozone generator	●
Cartridge filter with double skimmer	●
Touch control panel and remote control	●
Cromoexperience function (underwater light)	●
Compact Nest load-bearing frame	●
Protective insulating cover	●
Chill-out zone with three cushions	●
Panelling	○
Automatic water treatment (AWT)	○
Perimeter mood lighting (moonlight)	○
Hi-Fi audio system with Bluetooth and AUX connection	○
Refrigerator compartment	○
Access step	○
Summer cover	○
Winter protective cover (for pannelled mini-pool)	○
Water capacity	1,400 l

○ = optional

COLOURS: Shell: White - Midnight opal - Silver white marble - Crystal Grey

Polyurethane cushions: Grey

Fabric cushions: Beige damask, Dove-grey, Marron glacé

Protective insulating cover: Dark brown, Cloud grey

Access steps: Grey, Mahogany, Dark Brown

Summer cover: Sand

Winter protective cover: Grey

code

€

640

Built-in version with ELECTRIC HEATER

640 - HR - -

21.038,00

Built-in version with HEAT EXCHANGER

640 - HS - -

21.366,00

OPTIONAL

Laminate panelling with aluminium inserts: Powder pink, Mocha

M640 - - - G

3.385,00

Synthetic vertical slat panelling: Grey, Mahogany, Dark Brown

M640 - - - H

2.143,00

Automatic water treatment (AWT) as an alternative to the ozone generator

6040 - - - -

1.942,00

Chrome jets not available

Perimeter mood lighting (moonlight)

K061 - - - -

2.175,00

Hi-Fi audio system with Bluetooth and AUX connection

K066 - - - -

2.164,00

Refrigerator compartment

K063 - - - -

2.048,00

Basic access step

6048 - - - -

128,00

Premium access step

6049 - - - -

923,00

Summer cover

C640 - - - -

530,00

Winter protective cover

P640 - - - -

392,00

ABSORPTION AND VOLTAGE VALUES




code	heating system	standard consumption (W)	connection
640 HR-HS	2,100 W electric heater	3300	single-phase
	heat exchanger	2,100	single-phase
	2,100 W electric heater	4200 (less than 16 A per line)	three-phase

MINI-POOLS


Seaside 641 220x200 cm

HYDRO
SILENCE

TALOCCI DESIGN



built-in version



panelled version

Seaside 641

Functions	641 HR - HS	641 HA
Hydrosilence system	●	
Roto Jet	4 jets	4 jets
Stream Jet	14 jets	14 jets
Directional Stream jet	10 jets	4 jets
Roto Stream jet	8 jets	4 jets
Cartridge filter with skimmer	2	1
Control panel	●	●
Remote control	●	
Cromoexperience function (underwater light)	●	●
Compact Nest load-bearing frame	●	●
Protective insulating cover	●	●
Ozone generator	●	○
Panelling	○	○
Automatic water treatment (AWT)	○	
Perimeter mood lighting (moonlight)	○	
Hi-Fi audio system with Bluetooth and AUX connection	○	○
Refrigerator compartment	○	
Access step	○	○
Summer cover	○	○
Winter protective cover (for pannelled mini-pool)	○	○
Water capacity	1,100 l	1,100 l

○ = optional

COLOURS: Shell: White - Midnight opal - Silver white marble - Crystal Grey
 Polyurethane cushions: Grey
 Hatch upholstered with fabric: Beige damask, Dove-grey, Marron glacé
 Protective insulating cover: Dark brown, Cloud grey
 Access steps: Grey, Mahogany, Dark Brown
 Summer cover: Sand
 Winter protective cover: Grey

code

€

641 HR - HS		HR-HS	HA
Built-in version with ELECTRIC HEATER	641 - HR - -	19.064,00	
Built-in version with HEAT EXCHANGER	641 - HS - -	19.393,00	

641 HA			
Built-in version with ELECTRIC HEATER	641 - HA - -		12.625,00

OPTIONAL			
Laminate panelling with aluminium inserts: Powder pink, Mocha	M641 - - - G	2.694,00	2.694,00
Synthetic vertical slat panelling: Grey, Mahogany, Dark Brown	M641 - - - H	1.804,00	1.804,00
Automatic water treatment (AWT) as an alternative to the ozone generator	6040 - - - -	1.942,00	
Chrome jets not available			
Perimeter mood lighting (moonlight)	K061 - - - -	2.175,00	
Hi-Fi audio system with Bluetooth and AUX connection	K066 - - - -	2.164,00	2.164,00
Refrigerator compartment	K063 - - - -	2.048,00	
Ozone generator	6028 - - - -		488,00
Basic access step	6048 - - - -	128,00	128,00
Premium access step	6049 - - - -	923,00	923,00
Summer cover	C641 - - - -	424,00	424,00
Winter protective cover	P641 - - - -	318,00	318,00

ABSORPTION AND VOLTAGE VALUES

code	heating system	standard consumption (W)	connection
641 HR-HS	2,100 W electric heater	3300	single-phase
	heat exchanger	2,100	single-phase
	2,100 W electric heater	4200 (less than 16 A per line)	three-phase
641 HA	2,100 W electric heater	2700	single-phase




MINI-POOLS

Cheers CH1 200x200 cm


NILO GIOACCHINI DESIGN



ECO SUNNY,
The ideal solution for
temperate climates or
indoor installations, it
drastically reduces maximum electricity
consumption.



built-in version



panelled version



Cheers CH1

Functions	CH1	CH1 ECO SUNNY
Directional jet	14 jets	14 jets
Swirl jet	9 jets	9 jets
Pin spin jet	4 jets	4 jets
Pulsator jet	2 jets	2 jets
Jet blower	8 jets	8 jets
Double speed waterfall	●	●
Cromoexperience function (underwater light, waterfall and back-lit whirlpool jets)	●	●
2 whirlpool pumps, operating simultaneously	●	
2 whirlpool pumps, not operating simultaneously	● (*)	●
Spa Frog - integrated water sanitising system	●	●
Skimmer with double cartridge filter	●	●
Swirl circulation - integrated water filtration system	●	●
Electronic control panel with adjustable colour display	●	●
Anatomically contoured grey headrests	4	4
Protective insulating cover	●	●
Hi-Fi audio system with Bluetooth and AUX connection	○	○
Aromatherapy	○	○
Ozone generator	○	○
Panelling	○	○
Access step	○	○
Summer cover	○	○
Winter protective cover (for pannelled mini-pool)	○	○
Water capacity	1,100 l	1,100 l

○ = optional (*) = with the ECO function enabled

COLOURS: Shell: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey

Protective insulating cover: Dark brown, Cloud grey

Access steps: Grey, Mahogany, Dark Brown

Summer cover: Sand

Winter protective cover: Grey

code

€

CH1 with ECO function

Built-in version with ELECTRIC HEATER	CH1 - HR - -	11.479,00
Built-in version with HEAT EXCHANGER	CH1 - HS - -	11.798,00

CH1 ECO SUNNY - for temperate climates or indoor installations

Built-in version with ELECTRIC HEATER	CH1 E HR - -	11.150,00
Built-in version with HEAT EXCHANGER	CH1 E HS - -	11.479,00

OPTIONAL

Synthetic vertical slat panelling: Grey, Mahogany, Dark Brown	MCH1 - - - H	1.963,00
Hi-Fi audio system with Bluetooth and AUX connection	K066 - - - -	2.164,00
Ozone generator	6028 - - - -	488,00
Aromatherapy	0921 - - - -	128,00
Basic access step	6048 - - - -	128,00
Premium access step	6049 - - - -	923,00
Summer cover	CCH1 - - - -	424,00
Winter protective cover	PCH1 - - - -	318,00

ABSORPTION AND VOLTAGE VALUES

standard consumption (W)

code	heating system	standard	ECO function	connection
CH1	3,000 W electric heater	4,200	3,000	single-phase
	3,000 W electric heater	4,200	3,000	three-phase
	heat exchanger	4,200	3,000	single-phase
	heat exchanger	4,200	3,000	three-phase
CH1 ECO SUNNY	2,000 W electric heater	2,100		single-phase
	heat exchanger	1,900		single-phase




MINI-POOLS

Cheers CH2 220x220 cm


NILO GIOACCHINI DESIGN



ECO SUNNY,
The ideal solution for
temperate climates or
indoor installations, it
drastically reduces maximum electricity
consumption.



built-in version



panelled version



Cheers CH2

Functions

	CH2	CH2 ECO SUNNY
Directional jet	20 jets	20 jets
Swirl jet	14 jets	14 jets
Twin spin jet	4 jets	4 jets
Pulsator jet	2 jets	2 jets
Jet blower	6 jets	6 jets
Double speed waterfall	●	●
Cromoexperience function (underwater light, waterfall and back-lit whirlpool jets)	●	●
2 whirlpool pumps, operating simultaneously	●	
2 whirlpool pumps, not operating simultaneously	● (*)	●
Spa Frog - integrated water sanitising system	●	●
Skimmer with double cartridge filter	●	●
Swirl circulation - integrated water filtration system	●	●
Electronic control panel with adjustable colour display	●	●
Anatomically contoured grey headrests	4	4
Protective insulating cover	●	●
Hi-Fi audio system with Bluetooth and AUX connection	○	○
Aromatherapy	○	○
Ozone generator	○	○
Panelling	○	○
Access step	○	○
Summer cover	○	○
Winter protective cover (for pannelled mini-pool)	○	○
Water capacity	1,200 l	1,200 l

○ = optional (*) = with the ECO function enabled

COLOURS: Shell: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey

Protective insulating cover: Dark brown, Cloud grey

Access steps: Grey, Mahogany, Dark Brown

Summer cover: Sand

Winter protective cover: Grey

code

€

CH2 with ECO function

Built-in version with ELECTRIC HEATER	CH2 - HR - -	12.890,00
Built-in version with HEAT EXCHANGER	CH2 - HS - -	13.219,00

CH2 ECO SUNNY - for temperate climates or indoor installations

Built-in version with ELECTRIC HEATER	CH2 E HR - -	12.572,00
Built-in version with HEAT EXCHANGER	CH2 E HS - -	12.890,00

OPTIONAL

Synthetic vertical slat panelling: Grey, Mahogany, Dark Brown	MCH2 - - - H	2.080,00
Hi-Fi audio system with Bluetooth and AUX connection	K066 - - - -	2.164,00
Ozone generator	6028 - - - -	488,00
Aromatherapy	0921 - - - -	128,00
Basic access step	6048 - - - -	128,00
Premium access step	6049 - - - -	923,00
Summer cover	CCH2 - - - -	467,00
Winter protective cover	PCH2 - - - -	350,00

ABSORPTION AND VOLTAGE VALUES

standard consumption (W)

code	heating system	standard	ECO function	connection
CH2	3,000 W electric heater	4,200	3,000	single-phase
	3,000 W electric heater	4,200	3,000	three-phase
	heat exchanger	4,200	3,000	single-phase
	heat exchanger	4,200	3,000	three-phase
CH2 ECO SUNNY	2,000 W electric heater	2,100		single-phase
	heat exchanger	1,900		single-phase




MINI-POOLS

Cheers CH3 230x230 cm


NILO GIOACCHINI DESIGN



ECO SUNNY,
The ideal solution for
temperate climates or
indoor installations, it
drastically reduces maximum electricity
consumption.



built-in version



panelled version



Cheers CH3

Functions

CH3

CH3 ECO SUNNY

Directional jet	14 jets	14 jets
Swirl jet	15 jets	15 jets
Twin spin jet	2 jets	2 jets
Master jet	1 jet	1 jet
Pin spin jet	1 jet	1 jet
Pulsator jet	4 jets	4 jets
Jet blower	8 jets	8 jets
Double speed waterfall	●	●
Single speed waterfall	●	●
Cromoexperience function (underwater light, waterfall and back-lit whirlpool jets)	●	●
2 whirlpool pumps, operating simultaneously	●	
2 whirlpool pumps, not operating simultaneously	● (*)	●
Spa Frog - integrated water sanitising system	●	●
Skimmer with double cartridge filter	●	●
Swirl circulation - integrated water filtration system	●	●
Electronic control panel with adjustable colour display	●	●
Anatomically contoured grey headrests	5	5
Protective insulating cover	●	●
Hi-Fi audio system with Bluetooth and AUX connection	○	○
Aromatherapy	○	○
Ozone generator	○	○
Panelling	○	○
Access step	○	○
Summer cover	○	○
Winter protective cover (for pannelled mini-pool)	○	○
Water capacity	1,500 l	1,500 l

○ = optional (*) = with the ECO function enabled

COLOURS: Shell: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey

Protective insulating cover: Dark brown, Cloud grey

Access steps: Grey, Mahogany, Dark Brown

Summer cover: Sand - Winter protective cover: Grey

code

€

CH3 with ECO function

Built-in version with ELECTRIC HEATER	CH3 - HR - -	13.982,00
Built-in version with HEAT EXCHANGER	CH3 - HS - -	14.312,00

CH3 ECO SUNNY - for temperate climates or indoor installations

Built-in version with ELECTRIC HEATER	CH3 E HR - -	13.664,00
Built-in version with HEAT EXCHANGER	CH3 E HS - -	13.982,00

OPTIONAL

Synthetic vertical slat panelling: Grey, Mahogany, Dark Brown	MCH3 - - - H	2.186,00
Hi-Fi audio system with Bluetooth and AUX connection	K066 - - - -	2.164,00
Ozone generator	6028 - - - -	488,00
Aromatherapy	0921 - - - -	128,00
Basic access step	6048 - - - -	128,00
Premium access step	6049 - - - -	923,00
Summer cover	CCH3 - - - -	488,00
Winter protective cover	PCH3 - - - -	350,00

ABSORPTION AND VOLTAGE VALUES

standard consumption (W)

code	heating system	standard	ECO function	connection
CH3	3,000 W electric heater	4,200	3,000	single-phase
	3,000 W electric heater	4,200	3,000	three-phase
	heat exchanger	4,200	3,000	single-phase
	heat exchanger	4,200	3,000	three-phase
CH3 ECO SUNNY	2,000 W electric heater	2,100		single-phase
	heat exchanger	1,900		single-phase




MINI-POOLS

Cheers CH4 220x160 cm


NILO GIOACCHINI DESIGN



ECO SUNNY,
The ideal solution for
temperate climates or
indoor installations, it
drastically reduces maximum electricity
consumption.



built-in version



panelled version



Cheers CH4

Functions	CH4	CH4 ECO SUNNY
Directional jet	6 jets	6 jets
Swirl jet	6 jets	6 jets
Pin spin jet	3 jets	3 jets
Twin spin jet	5 jets	5 jets
Pulsator jet	2 jets	2 jets
Jet blower	6 jets	6 jets
Double speed waterfall	●	●
Cromoexperience function (underwater light, waterfall and back-lit whirlpool jets)	●	●
2 whirlpool pumps, operating simultaneously	●	
2 whirlpool pumps, not operating simultaneously	● (*)	●
Spa Frog - integrated water sanitising system	●	●
Skimmer with double cartridge filter	●	●
Swirl circulation - integrated water filtration system	●	●
Electronic control panel with adjustable colour display	●	●
Anatomically contoured headrests	3	3
Protective insulating cover	●	●
Hi-Fi audio system with Bluetooth and AUX connection	○	○
Aromatherapy	○	○
Ozone generator	○	○
Panelling	○	○
Access step	○	○
Summer cover	○	○
Winter protective cover (for pannelled mini-pool)	○	○
Water capacity	850 l	850 l

○ = optional (*) = with the ECO function enabled

COLOURS: Shell: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
Protective insulating cover: Dark brown, Cloud grey
Access steps: Grey, Mahogany, Dark Brown
Summer cover: Sand
Winter protective cover: Grey

code €

CH4 with ECO function		
Built-in version with ELECTRIC HEATER	CH4 - HR - -	9.612,00
Built-in version with HEAT EXCHANGER	CH4 - HS - -	9.941,00

CH4 ECO SUNNY - for temperate climates or indoor installations		
Built-in version with ELECTRIC HEATER	CH4 E HR - -	9.294,00
Built-in version with HEAT EXCHANGER	CH4 E HS - -	9.612,00

OPTIONAL		
Synthetic vertical slat panelling: Grey, Mahogany, Dark Brown	MCH4 - - - H	1.527,00
Hi-Fi audio system with Bluetooth and AUX connection	K066 - - - -	2.164,00
Ozone generator	6028 - - - -	488,00
Aromatherapy	0921 - - - -	128,00
Basic access step	6048 - - - -	128,00
Premium access step	6049 - - - -	923,00
Summer cover	CCH4 - - - -	414,00
Winter protective cover	PCH4 - - - -	297,00

ABSORPTION AND VOLTAGE VALUES

code	heating system	standard consumption (W)		connection
		standard	ECO function	
CH4	3,000 W electric heater	4,200	3,000	single-phase
	3,000 W electric heater	4,200	3,000	three-phase
	heat exchanger	4,200	3,000	single-phase
	heat exchanger	4,200	3,000	three-phase
CH4 ECO SUNNY	2,000 W electric heater	2,100		single-phase
	heat exchanger	1,900		single-phase

Classic



AROMATHERAPY

You can introduce your favourite herbal essences into the tub using the blower system.

CROMOEXPERIENCE

The LEDs in the underwater lights on the base of the mini-pools light up their surroundings in multiple colours, thereby creating a truly relaxing atmosphere.

BLOWER JETS

Air is expelled directly from these jets into the water in the mini-pool, offering a regenerating massage that stimulates the circulation.

POLYSTORM MESSAGE JET

This special jet consists of 7 nozzles.

Water is distributed dynamically to create an intermittent and circular massage.

CLUSTER PULSATOR JET

A small, focused jet that provides a pulsating effect of varying pressure.

SINGLE ROTO POLYSTORM JET

This jet delivers a rotating massage effect with a small massage radius and a single stream of water.

DIRECTIONAL CLUSTER JET

This jet generates an intense and localised massage.

DIRECTIONAL POLYSTORM JET

This jet generates a gentle flow with constant pressure.

TWIN ROTO POLYSTORM JET

Similar to the single roto jet, this jet has a dual water flow which provides a professional massage.

INSULATING COVER

The eco-leather folding insulating cover is made of polyurethane foam with a steel reinforcement to ensure superior insulating properties, sturdiness and durability.


ABS PLASTIC BASE

The ultra durable hard-wearing waterproof base is suitable for all weather conditions and installation surfaces.

SYNTHETIC PANELLING

Attractive and hard-wearing, the panelling makes the mini-pool perfect for any corner of the home. It is maintenance-free.

CL1 - 205.5x197.5xH85.5 cm



Functions

CL1

Total places	5
Directional cluster jet	10
Cluster pulsator jet	2
Directional polystorm jet	2
Polystorm massage jet	1
Single roto polystorm jet	2
Twin roto polystorm jet	2
Blower jet	14
Cromoexperience function (underwater light)	●
Skimmer with two cartridge filters	●
Manual water treatment kit	●
Ozone generator	●
Aromatherapy	●
Vertical slat panelling	●
Protective insulating cover	●
Access steps	○
Summer cover	○
Winter protective cover	○
Water capacity	900 l.

○ = optional

COLOURS: Shell: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
 Synthetic vertical slat panelling: grey, mahogany, dark brown
 Protective insulating cover: dark brown, cloud grey
 Access steps: grey, mahogany, dark brown
 Summer cover: sand
 Winter protective cover: grey

code

€

CL1

Mini-pool with synthetic wood panelling
and 3000W ELECTRIC HEATER

CL1 - HR - -

10.350,00

OPTIONAL

Basic access steps

6048 - - - -

128,00

Summer cover

CCL1 - - - -


456,00

Winter protective cover

PCL1 - - - -

329,00

CL2 - ø217xH.85.5 cm



Functions

	CL2
Total places	6
Directional cluster jet	10
Cluster pulsator jet	2
Directional polystorm jet	2
Polystorm massage jet	1
Single roto polystorm jet	2
Twin roto polystorm jet	3
Blower jet	14
Cromoexperience function (underwater light)	●
Skimmer with one cartridge filter	●
Manual water treatment kit	●
Ozone generator	●
Aromatherapy	●
Vertical slat panelling	●
Protective insulating cover	●
Access steps	○
Summer cover	○
Winter protective cover	○
Water capacity	970 l.

○ = optional

COLOURS: Shell: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey

Synthetic vertical slat panelling: grey, mahogany, dark brown

Protective insulating cover: dark brown, cloud grey

Access steps: grey, mahogany, dark brown

Summer cover: sand

Winter protective cover: grey

code

€

CL2

Mini-pool with synthetic wood panelling
and 3000W ELECTRIC HEATER

CL2 - HR - -

10.350,00

OPTIONAL

Basic access steps

6048 - - - -

128,00

Summer cover

CCL2 - - - -


467,00

Winter protective cover

PCL2 - - - -

340,00

CL3 - 221x221xH94 cm



Functions


	CL3
Total places	7
Directional cluster jet	16
Cluster pulsator jet	3
Directional polystorm jet	4
Polystorm massage jet	3
Single roto polystorm jet	4
Twin roto polystorm jet	3
Blower jet	16
Cromoexperience function (underwater light)	●
Skimmer with two cartridge filters	●
Manual water treatment kit	●
Ozone generator	●
Aromatherapy	●
Vertical slat panelling	●
Protective insulating cover	●
Access steps	○
Summer cover	○
Winter protective cover	○
Water capacity	1200 l.

○ = optional

COLOURS: Shell: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
 Synthetic vertical slat panelling: grey, mahogany, dark brown
 Protective insulating cover: dark brown, cloud grey
 Access steps: grey, mahogany, dark brown
 Summer cover: sand
 Winter protective cover: grey

	code	€
CL3		
Mini-pool with synthetic wood panelling and 3000W ELECTRIC HEATER	CL3 - HR - -	12.420,00
OPTIONAL		
Basic access steps	6048 - - - -	128,00
Summer cover	CCL3 - - - -	467,00
Winter protective cover	PCL3 - - - -	340,00

CL4 - 204x196.5xH76 cm




Functions	CL4
Total places	6
Directional cluster jet	15
Cluster pulsator jet	2
Directional polystorm jet	2
Polystorm massage jet	2
Single roto polystorm jet	1
Twin roto polystorm jet	1
Blower jet	14
Cromoexperience function (underwater light)	●
Skimmer with two cartridge filters	●
Manual water treatment kit	●
Ozone generator	●
Aromatherapy	●
Vertical slat panelling	●
Protective insulating cover	●
Access steps	○
Summer cover	○
Winter protective cover	○
Water capacity	800 l.

○ = optional

COLOURS: Shell: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
Synthetic vertical slat panelling: grey, mahogany, dark brown
Protective insulating cover: dark brown, cloud grey
Access steps: grey, mahogany, dark brown
Summer cover: sand
Winter protective cover: grey

	code	€
CL4		
Mini-pool with synthetic wood panelling and 3000W ELECTRIC HEATER	CL4 - HR - -	10.350,00
OPTIONAL		
Basic access steps	6048 - - - -	128,00
Summer cover	CCL4 - - - -	456,00
Winter protective cover	PCL4 - - - -	329,00

CL5 - 160x223xH89.5 cm



Functions


Functions	CL5
Total places	3
Directional cluster jet	12
Directional polystorm jet	4
Directional powerstorm jet	4
Twin roto polystorm jet	3
Twin roto powerstorm jet	2
Blower jet	6
Cromoexperience function (underwater light)	●
Skimmer with two cartridge filters	●
Manual water treatment kit	●
Ozone generator	●
Aromatherapy	●
Vertical slat panelling	●
Protective insulating cover	●
Access steps	○
Summer cover	○
Winter protective cover	○
Water capacity	970 l.

○ = optional

COLOURS: Shell: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
 Synthetic vertical slat panelling: grey, mahogany, dark brown
 Protective insulating cover: dark brown, cloud grey
 Access steps: grey, mahogany, dark brown
 Summer cover: sand
 Winter protective cover: grey

	code	€
CL5		
Mini-pool with synthetic wood panelling and 3000W ELECTRIC HEATER	CL5 - HR - -	10.350,00
OPTIONAL		
Basic access steps	6048 - - - -	128,00
Summer cover	CCL5 - - - -	456,00
Winter protective cover	PCL5 - - - -	340,00

CL6 - 206x237xH89 cm



Functions

	CL6
Total places	5
Directional cluster jet	31
Cluster pulsator jet	4
Directional powerstorm jet	2
Single roto polystorm jet	4
Twin roto powerstorm jet	8
Cromoexperience function (underwater light)	●
Skimmer with two cartridge filters	●
Manual water treatment kit	●
Ozone generator	●
Aromatherapy	●
Vertical slat panelling	●
Protective insulating cover	●
Access steps	○
Summer cover	○
Winter protective cover	○
Water capacity	1300 l.

○ = optional

COLOURS: Shell: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey

Synthetic vertical slat panelling: grey, mahogany, dark brown

Protective insulating cover: dark brown, cloud grey

Access steps: grey, mahogany, dark brown

Summer cover: sand

Winter protective cover: grey

code

€

CL6

Mini-pool with synthetic wood panelling
and 3000W ELECTRIC HEATER

CL6 - HR - -

12.420,00

OPTIONAL

Basic access steps

6048 - - - -

128,00

Summer cover

CCL6 - - - -


467,00

Winter protective cover

PCL6 - - - -

340,00

629 - 196x147xH75 cm



Functions

629

Total places	3
Swing jet	3
Stream jet	4
Rhythmic jet	4
Cromoexperience function (underwater light)	●
Skimmer with one cartridge filter	●
Manual water treatment kit	●
Ozone generator	●
Vertical slat panelling	●
Protective insulating cover	●
Access steps	○
Summer cover	○
Winter protective cover	○
Water capacity	707 l.

○ = optional

COLOURS: Shell: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
 Natural wood vertical slat panelling: grey, mahogany, dark brown
 Protective insulating cover: dark brown, cloud grey
 Access steps: grey, mahogany, dark brown
 Summer cover: sand
 Winter protective cover: grey

code

€

629		
Mini-pool with natural wood panelling and 2100W ELECTRIC HEATER	629NHR - -	8.190,00
OPTIONAL		
Basic access steps	6048 - - - -	128,00
Summer cover	C629 - - - -	372,00
Winter protective cover	P629 - - - -	276,00

Natural wood vertical slat panelling



Grey



Mahogany



Dark Brown




MINI-POOLS

Mirror 630


300x235 cm

LENCI DESIGN


High Performance Line



Spa pack
sand filter



Spa pack
cartridge filter



Balance
tank

Mirror 630

Functions	630H	630V	630Y
Power jet	1 jet	1 jet	1 jet
Triple Roto jet	3 jets *	3 jets *	3 jets *
Multi Roto jet	9 jets	9 jets	9 jets
Roto jet	4 jets **	4 jets **	4 jets **
Stream jet	16 Mini jets	16 Mini jets	16 Mini jets
Rhythmic jet	4 jets	4 jets	4 jets
Waterproof whirlpool pump ON/OFF controls on stainless steel support	●	●	●
Balance tank (850 litres)		●	●
Cartridge filter		●	
Reinforced polyester sand filter with 150 kg sand supply			●
Cromoexperience function (underwater light)	●	●	●
Protective insulating cover	●	●	●
Automatic water treatment (AWT)		○	○
Stainless steel handrail	○	○	○
2 removable grey headrests	○	○	○
Water capacity	1,940 l	1,940 l	1,940 l

○ = optional * = 2 "Roto" jets and 1 "Directional" jet ** = 2 "Roto" jets and 2 "Directional" jets

COLOURS: Shell: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
Protective insulating cover: Dark brown, Cloud grey
White grille

code

€

630H - without filtration and heating system

Built-in version with overflow grille

630 - HU - -

16.498,00

External whirlpool system with 3 pumps (Spa-Pack)

630V - with cartridge filter

Built-in version with overflow grille, cartridge filter and electric heater

630 - VR - -

22.289,00

Built-in version with overflow grille, cartridge filter and heat exchanger

630 - VS - -

22.459,00

External whirlpool system with 3 pumps, filtration and heating (Spa-Pack), electronic Spa control with user presence detector, 5 filtration cycles, temperature control and automatic level top-up.

630Y - with sand filter

Built-in version with overflow grille, sand filter and electric heater

630 - YR - -

23.223,00

Built-in version with overflow grille, sand filter and heat exchanger

630 - YS - -

23.382,00

External whirlpool system with 3 pumps, filtration and heating (Spa-Pack), electronic Spa control with user presence detector, 5 filtration cycles, temperature control and automatic level top-up.

OPTIONAL

Automatic water treatment (AWT)

6011 - - - -

3.555,00

Chrome jets not available

Stainless steel handrail

6030 - - - -

605,00

Removable headrests (2)

6032 - - - -

329,00

Mini-pool 630 connection kit (8 metres)

K223 - - - -

1.591,00

NOTES

Versions 630VR and 630YR with optional 6011 (AWT) are equipped with an electric heater with titanium components

ABSORPTION AND VOLTAGE VALUES

code	heating system	standard consumption (W)	connection
630 HU	ND	4500	single-phase
630 VR-YR	9 kW electric heater	14600	three-phase
630 VS-YS	heat exchanger	5400 (less than 16 A per line)	three-phase




MINI-POOLS

Mirror 620


Ø 238 cm

LENCI DESIGN


High Performance Line



Spa pack
sand filter



Spa pack
cartridge filter



Balance
tank

Mirror 620

Functions	620H	620V	620Y
Power jet	1 jet	1 jet	1 jet
Triple Roto jet	3 jets *	3 jets *	3 jets *
Multi Roto jet	10 jets	10 jets	10 jets
Roto jet	4 jets **	4 jets **	4 jets **
Stream jet	14 Mini jets	14 Mini jets	14 Mini jets
Waterproof whirlpool pump ON/OFF controls on stainless steel support	●	●	●
Balance tank (850 litres)		●	●
Cartridge filter		●	
Reinforced polyester sand filter with 150 kg sand supply			●
Cromoexperience function (underwater light)	●	●	●
Protective insulating cover	●	●	●
Automatic water treatment (AWT)		○	○
Stainless steel handrail	○	○	○
2 removable grey headrests	○	○	○
Water capacity	1,100 l	1,100 l	1,100 l

○ = optional * = 2 "Roto" jets and 1 "Directional" jet ** = 2 "Roto" jets and 2 "Directional" jets

COLOURS: Shell: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
Protective insulating cover: Dark brown, Cloud grey
White grille

code

€

620H - without filtration and heating system

Built-in version with overflow grille

620 - HU - -

13.982,00

External whirlpool system with 2 pumps (Spa-Pack)

620V - with cartridge filter

Built-in version with overflow grille, cartridge filter and electric heater

620 - VR - -

19.829,00

Built-in version with overflow grille, cartridge filter and heat exchanger

620 - VS - -

19.998,00

External whirlpool system with 2 pumps, filtration and heating (Spa-Pack), electronic Spa control with user presence detector, 5 filtration cycles, temperature control and automatic level top-up.

620Y - with sand filter

Built-in version with overflow grille, sand filter and electric heater

620 - YR - -

20.762,00

Built-in version with overflow grille, sand filter and heat exchanger

620 - YS - -

20.921,00

External whirlpool system with 2 pumps, filtration and heating (Spa-Pack), electronic Spa control with user presence detector, 5 filtration cycles, temperature control and automatic level top-up.

OPTIONAL

Automatic water treatment (AWT)

6011 - - - -

3.555,00

Chrome jets not available

Stainless steel handrail

6030 - - - -

605,00

Removable headrests (2)

6032 - - - -

329,00

Mini-pool 620 connection kit (8 metres)

K222 - - - -

1.379,00

NOTES

Versions 620VR and 620YR with optional 6011 (AWT) are equipped with an electric heater with titanium components

ABSORPTION AND VOLTAGE VALUES


code	heating system	standard consumption (W)	connection
620 HU	ND	4500	single-phase
620 VR-YR	9 kW electric heater	14600	three-phase
620 VS-YS	heat exchanger	5400 (less than 16 A per line)	three-phase



MINI-POOLS

Commercial



Team spa - Octagon



COLOURS: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey

To purchase the Spa-pack, see page 69

Commercial - Team Spa C40 - cm 403x268



Functions

	C40S	C40F
Whirlpool jets		10 jets
Jet blower		10 jets
Massage seats	9	9
Flush-fit edge with grille	●	●
Cromoexperience function (2 underwater lights)	○	○
Spa-pack with cartridge filter		○
Spa-pack with sand filter		○
Automatic water treatment (AWT)		○
Water capacity	3,400 l	3,400 l

○ = optional

COLOURS: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey

code

€

C40S

Built-in version, frame and overflow grille
Designed to accommodate recirculation and filtration

C40 - S - - -

11.564,00

C40F

Built-in version, frame, whirlpool jets, blower jets and overflow grille

C40 - F - - -

14.534,00

NOTES

To purchase the Spa-pack, see page 69


OPTIONAL

Cromoexperience function (2 underwater lights)

P010 - - - -

1.358,00

Commercial - Octagon C20 - cm 199x199



Functions

	C20S	C20F
Whirlpool jets		5 jets
Jet blower		10 jets
Massage seats	5	5
Flush-fit edge with grille	●	●
Cromoexperience function (1 underwater light)	○	○
Spa-pack with cartridge filter		○
Spa-pack with sand filter		○
Automatic water treatment (AWT)		○
Protective insulating cover	○	○
Water capacity	900 l	900 l

○ = optional

COLOURS: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
Protective insulating cover: Dark brown, Cloud grey

code

€

C20S

Built-in version, frame and overflow grille
Designed to accommodate recirculation and filtration

C20 - S - - -

6.101,00

C20F

Built-in version, frame, whirlpool jets, blower jets and overflow grille

C20 - F - - -

7.957,00

NOTES

To purchase the Spa-pack, see page 69

OPTIONAL

Cromoexperience function (1 underwater light)
Protective insulating cover (to be ordered separately)


P009 - - - -

679,00

6320 - - - -

1.339,00

Commercial - Octagon C24 - cm 240x240




Functions	C24S	C24F
Whirlpool jets		7 jets
Jet blower		10 jets
Massage seats	7	7
Flush-fit edge with grille	●	●
Cromoexperience function (2 underwater lights)	○	○
Spa-pack with cartridge filter		○
Spa-pack with sand filter		○
Automatic water treatment (AWT)		○
Protective insulating cover	○	○
Water capacity	1,360 l	1,360 l

○ = optional

COLOURS: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
Protective insulating cover: Dark brown, Cloud grey

	code	€
C24S		
Built-in version, frame and overflow grille	C24 - S - - -	7.162,00
Designed to accommodate recirculation and filtration		
C24F		
Built-in version, frame, whirlpool jets, blower jets and overflow grille	C24 - F - - -	9.548,00
NOTES		
To purchase the Spa-pack, see page 69		
OPTIONAL		
Cromoexperience function (2 underwater lights)	P010 - - - -	1.358,00
Protective insulating cover (to be ordered separately)	6324 - - - -	1.339,00

Commercial - Octagon C27 - cm 270x270



Functions	C27S	C27F
Whirlpool jets		5 jets
Jet blower		10 jets
Massage seats	5	5
Flush-fit edge with grille	●	●
Cromoexperience function (2 underwater lights)	○	○
Spa-pack with cartridge filter		○
Spa-pack with sand filter		○
Automatic water treatment (AWT)		○
Protective insulating cover	○	○
Water capacity	1,850 l	1,850 l

○ = optional

COLOURS: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
Protective insulating cover: Dark brown, Cloud grey

	code	€
C27S		
Built-in version, frame and overflow grille	C27 - S - - -	8.169,00
Designed to accommodate recirculation and filtration		
C27F		
Built-in version, frame, whirlpool jets, blower jets and overflow grille	C27 - F - - -	11.139,00
NOTES		
To purchase the Spa-pack, see page 69		
OPTIONAL		
Cromoexperience function (2 underwater lights)	P010 - - - -	1.358,00
Protective insulating cover (to be ordered separately)	6327 - - - -	1.545,00




Photo: C28

MINI-POOLS

Commercial

Round

Commercial - Round C22 - Ø 217 cm




Functions	C22S	C22F
Whirlpool jets		7 jets
Jet blower		10 jets
Massage seats	7	7
Flush-fit edge with grille	●	●
Cromoexperience function (1 underwater light)	○	○
Spa-pack with cartridge filter		○
Spa-pack with sand filter		○
Automatic water treatment (AWT)		○
Protective insulating cover	○	○
Water capacity	1,160 l	1,160 l

○ = optional

COLOURS: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
Protective insulating cover: Dark brown, Cloud grey

	code	€
C22S		
Built-in version, frame and overflow grille	C22 - S - - -	6.471,00
Designed to accommodate recirculation and filtration		
C22F		
Built-in version, frame, whirlpool jets, blower jets and overflow grille	C22 - F - - -	8.487,00
NOTES		
To purchase the Spa-pack, see page 69		
OPTIONAL		
Cromoexperience function (1 underwater light)	P009 - - - -	679,00
Protective insulating cover (to be ordered separately)	6322 - - - -	1.339,00

Commercial - Round C25 - Ø 250 cm



Functions

	C25S	C25F
Whirlpool jets		7 jets
Jet blower		10 jets
Massage seats	7	7
Flush-fit edge with grille	●	●
Cromoexperience function (2 underwater lights)	○	○
Spa-pack with cartridge filter		○
Spa-pack with sand filter		○
Automatic water treatment (AWT)		○
Protective insulating cover	○	○
Water capacity	1,850 l	1,850 l

○ = optional

COLOURS: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
Protective insulating cover: Dark brown, Cloud grey

code

€

C25S

Built-in version, frame and overflow grille
Designed to accommodate recirculation and filtration

C25 - S - - -

7.426,00

C25F

Built-in version, frame, whirlpool jets, blower jets and overflow grille

C25 - F - - -

9.548,00

NOTES

To purchase the Spa-pack, see page 69

OPTIONAL

Cromoexperience function (2 underwater lights)
Protective insulating cover (to be ordered separately)


P010 - - - -

1.358,00

6325 - - - -

1.339,00

Commercial - Round C30 - Ø 300 cm



Functions

	C30S	C30F
Whirlpool jets		10 jets
Jet blower		10 jets
Massage seats	10	10
Flush-fit edge with grille	●	●
Cromoexperience function (2 underwater lights)	○	○
Spa-pack with cartridge filter		○
Spa-pack with sand filter		○
Automatic water treatment (AWT)		○
Protective insulating cover	○	○
Water capacity	2,050 l	2,050 l

○ = optional

COLOURS: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
Protective insulating cover: Dark brown, Cloud grey

code

€

C30S

Built-in version, frame and overflow grille
Designed to accommodate recirculation and filtration

C30 - S - - -

10.185,00

C30F

Built-in version, frame, whirlpool jets, blower jets and overflow grille

C30 - F - - -

11.670,00

NOTES

To purchase the Spa-pack, see page 69

OPTIONAL

Cromoexperience function (2 underwater lights)
Protective insulating cover (to be ordered separately)



P010 - - - -

1.358,00

6330 - - - -

1.545,00

Commercial - Round C28 Cascade - Ø 276 cm



Functions	C28S	C28F
Whirlpool jets		8 jets
Jet blower		10 jets
Massage seats	6	6
Flush-fit edge with grille	●	●
Cromoexperience function (2 underwater lights)	○	○
Spa-pack with cartridge filter		○
Spa-pack with sand filter		○
Automatic water treatment (AWT)		○
Protective insulating cover	○	○
Water capacity	1,510 l	1,510 l

○ = optional


COLOURS: White - Cinnabar - Midnight opal - Azurite - Silver white marble - Crystal Grey
Protective insulating cover: Dark brown, Cloud grey

	code	€
C28S		
Built-in version, frame and overflow grille	C28 - S - - -	9.018,00
Designed to accommodate recirculation and filtration		
C28F		
Built-in version, frame, whirlpool jets, blower jets and overflow grille	C28 - F - - -	11.139,00
NOTES		
To purchase the Spa-pack, see page 69		
OPTIONAL		
Cromoexperience function (2 underwater lights)	P010 - - - -	1.358,00
Protective insulating cover (to be ordered separately)	6328 - - - -	1.545,00

Spa-Pack for Commercial mini-pools

SPA-PACK: External whirlpool system with 1 pump, 1 blower, filtration and heating system, electronic Spa control with user presence detector, 5 filtration cycles, temperature control, automatic water level top-up, designed to accommodate the Cromoexperience function (P009 - P010).
Designed to accommodate external timer

Versions P013 FR - DR (with AWT) are equipped with an electric heater with titanium components.



code

€

CARTRIDGE FILTER

Spa-Pack with cartridge filter, 850-litre balance tank and electric heater

P013 AR - -

7.798,00

Spa-Pack with cartridge filter, 850-litre balance tank and heat exchanger

P013 AS - -

8.010,00

CARTRIDGE FILTER (with AWT)

Spa-Pack with cartridge filter, 850-litre balance tank automatic water treatment (AWT) and electric heater


P013 FR - -

9.548,00

Spa-Pack with cartridge filter, 850-litre balance tank automatic water treatment (AWT) and heat exchanger

P013 FS - -

9.760,00



code

€

SAND FILTER

Spa-Pack with sand filter, 850-litre balance tank and electric heater

P013 BR - -

9.442,00

Spa-Pack with sand filter, 850-litre balance tank and heat exchanger

P013 BS - -

9.602,00

SAND FILTER (with AWT)

Spa-Pack with sand filter, 850-litre balance tank automatic water treatment (AWT) and electric heater

P013 DR - -

11.193,00

Spa-Pack with sand filter, 850-litre balance tank automatic water treatment (AWT) and heat exchanger

P013 DS - -

11.352,00

OPTIONAL

Mini-pool Commercial connection kit (8 metres)

K224 - - - -

1.273,00

ABSORPTION AND VOLTAGE VALUES

code	heating system	standard consumption (W)	connection
P013	9,000 W electric heater	13,000	three-phase
	heat exchanger	4,500	three-phase



MINI-POOLS

Accessories

Summer cover

CHARACTERISTICS

500 g/m² PVC canvas, fitted with elasticated black cord and fixing eyelets sand colour for built-in recessed or panelled mini-pools



	Code	€
Summer cover for 640	C640 - - - -	530,00
Summer cover for 641	C641 - - - -	424,00
Summer cover for CH1	CCH1 - - - -	424,00
Summer cover for CH2	CCH2 - - - -	467,00
Summer cover for CH3	CCH3 - - - -	488,00
Summer cover for CH4	CCH4 - - - -	414,00
Summer cover for CL1	CCL1 - - - -	456,00
Summer cover for CL2	CCL2 - - - -	467,00
Summer cover for CL3	CCL3 - - - -	467,00
Summer cover for CL4	CCL4 - - - -	456,00
Summer cover for CL5	CCL5 - - - -	456,00
Summer cover for CL6	CCL6 - - - -	467,00
Summer cover for 629	C629 - - - -	372,00

Winter protective cover

CHARACTERISTICS

300 g/m² PVC canvas with anti-UV treatment to protect the mini-pool and insulating cover during the winter. fitted with zip fastening. Grey colour. For panelled mini-pools



	Code	€
Protective cover for 640	P640 - - - -	392,00
Protective cover for 641	P641 - - - -	318,00
Protective cover for CH1	PCH1 - - - -	318,00
Protective cover for CH2	PCH2 - - - -	350,00
Protective cover for CH3	PCH3 - - - -	350,00
Protective cover for CH4	PCH4 - - - -	297,00
Protective cover for CL1	PCL1 - - - -	329,00
Protective cover for CL2	PCL2 - - - -	340,00
Protective cover for CL3	PCL3 - - - -	340,00
Protective cover for CL4	PCL4 - - - -	329,00
Protective cover for CL5	PCL5 - - - -	340,00
Protective cover for CL6	PCL6 - - - -	340,00
Protective cover for 629	P629 - - - -	276,00

Lifting device for insulating cover

CHARACTERISTICS

black metal frame

available for the following models (not the built-in recessed version): CH1, CH2, CH3, CH4, CL1, CL3, CL4, CL5, CL6, 629



	code	€
Lifting device for insulating cover	6010 - - - -	286,00

Premium access steps

CHARACTERISTICS

access steps in synthetic material, in the same finish as the mini-pool panelling slats
slip-resistant, stainless steel frames,
pre-assembled product

		
Grey	Mahogany	Dark brown
code		€
Premium access steps	6049 - - - -	923,00

Basic access steps

CHARACTERISTICS

plastic access steps
product to be assembled

		
Grey	Mahogany	Dark brown
code		€
Basic access steps	6048 - - - -	128,00

Towel rail

CHARACTERISTICS

polished aluminium finish, supports and fixing brackets to be secured to the mini-pool frame

	code	€
100 cm Towel rail	6201 - - - -	202,00
150 cm Towel rail	6202 - - - -	276,00

Sun shower



CHARACTERISTICS

in aluminium, quick hydraulic coupling
anchored to the floor using 4 rawlplugs
30-litre capacity

dimensions:
30x25x230 cm

colours:
black - white

	code	€
Sun shower	6210 - - - -	1.083,00

Submersible pump to empty the mini-pool



CHARACTERISTICS

low voltage operation
power supply via safety transformer
fitted with 230V electricity socket

	code	€
Submersible pump	6211 - - - -	446,00

Battery-operated pool vacuum



CHARACTERISTICS
max. height 190 cm
batteries not included

	code	€
Battery-operated pool vacuum	6212 - - - -	138,00

Manual pool vacuum



CHARACTERISTICS
max. height 190 cm

	code	€
Manual pool vacuum	6009 - - - -	138,00

Care and maintenance

	code	€
oxygen-based water treatment pack (contains an oxygen-based sanitising product with its own activator, pH- corrector, anti-limescale and anti-algae agents and the tester)	6003 - - - -	191,00
oxygen-based water treatment consumables (contains oxygen-based sanitising product, activator, oxygen and pH tester)	6050 - - - -	128,00
oxygen and pH teste	6006 - - - -	33,00
chlorine-based water treatment pack (contains a chlorine-based sanitising product, pH- corrector, anti-limescale and anti-algae agents and the tester)	6004 - - - -	138,00
chlorine mini-pool tester	6007 - - - -	29,00
chlorine granules (1 kg pack)	6052 - - - -	35,00
automatic water treatment (AWT) consumables (contains the anti-limescale agent, the chlorine mini-pool tester and the pH- corrector)	6012 - - - -	106,00
Spa Frog mini-pool water treatment consumables (contains a Spa Frog mineral cartridge, a Spa Frog bromine cartridge and the bromine tester)	6051 - - - -	84,00
Spa Frog mineral cartridge	6013 - - - -	35,00
Spa Frog bromine cartridge	6014 - - - -	13,00
bromine/Spa Frog mini-pool tester	6053 - - - -	19,00
pH reducer (1.5 kg pack)	6054 - - - -	21,00
pH increaser (1 kg pack)	6055 - - - -	21,00
flocculant for sand filters (1 litre pack)	6056 - - - -	16,00
mini-pool surface cleaner (1 litre pack)	6057 - - - -	32,00
anti-limescale agent (1 litre pack)	6058 - - - -	32,00
et of 3 assorted aromatherapy essences (2 sachets per essence)	0920 - - - -	42,00

General terms of sale

1	ORDERS	Product orders will only be binding on TEUCO Spa after written acceptance.
2	ORDER CANCELLATIONS	No orders without an acceptance deadline can be cancelled without the explicit written authorisation of TEUCO Spa. If not, the latter will have the right to charge the related costs. Unjustified order cancellations are not allowed. Under no circumstances will TEUCO Spa take into consideration cancellation requests received later than 15 days prior to the expected delivery date.
3	DELIVERY TERMS AND METHODS	The product delivery times, where confirmed by TEUCO Spa, must be understood to be purely indicative and never binding. Ordered goods shall, nevertheless, be deemed as having been delivered, when they have been handed over to the carrier assigned with the transport, at TEUCO's facility in Montelupone.
4	PRICES	The sale price of each product is specified in the price list, valid at the time the order is made, and must be considered as valid for goods ex works in Montelupone (MC - Italy), unless otherwise agreed. All expenses and additional costs, however, must be added to the list price (including for example: duty and/or taxes relating to sale and transportation), which shall be payable by the purchaser. The installation of the products is excluded in all circumstances and must be performed at the expense and under the responsibility of the purchaser. TEUCO Spa reserves the right to modify its price lists, quotes and discounts without needing to give prior notice thereof.
5	PAYMENT	The payment terms, unless otherwise approved and specified in writing by TEUCO Spa, are as follows: a) for sales within Italy: 30 days after the invoice date, when a credit agreement exists; otherwise: cash on delivery; b) for sales outside Italy: irrevocable letter of credit, confirmed by one of the main Italian banking institutions. Non-payment - even partial - of the amount due at the agreed deadlines or even of just one instalment of any payment in instalments agreement will lead to the expiry of the deadline for subsequent instalments and TEUCO Spa will therefore have the right to demand the immediate total payment of the entire outstanding sum due from the purchaser. All the products supplied remain the property of TEUCO Spa until full payment has been made.
6	PACKAGING	The list price of all products includes packaging, if envisaged, for overland road transport. Goods delivered by train and/or boat require special packaging, which entails an additional charge of 5% on the net total of the ordered supply.
7	TRANSPORTATION	Once the goods have been delivered by being handed over to the carrier, they travel at the risk and under the responsibility of the purchaser, even if TEUCO Spa has agreed to pay the transport costs.
8	LIABILITIES	The liabilities on the part of TEUCO Spa for damage due to faulty products are those set forth by the law.
	IMPORTANT NOTICE	The product must be installed as supplied by Teuco, following the instructions and cautions recommended in the technical catalogue. TEUCO provides no guarantee for damage to the product following incorrect installation.

